




A Long Lasting Technology



Breakage of a screwdriver bit not only reduces work efficiency but also adversely affects the quality of an assembled product. Improving durability of a screwdriver bit is a critical issue for assembly lines.



Precision Fitting

Screwdriver bits are produced with consistent accuracy due to superior manufacturing machines and thorough quality control.

In-house controlled heat treatment developed by in-depth analysis also produces a more durable product.



Insert Bits

IMPACT & OUT™

MEGADORA™
Screwdrivers

BALL GRIP™
Screwdrivers

Cushion Grip
Screwdrivers

WOOD-COMPO™
Series

Precision
Screwdrivers

2WAY Series

Functional
Screwdrivers

Impact Drivers

Screwdriver
Sets

"L-KEY"
Wrenches

Other
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/
Mag Catcher

Double-Ended
Power Bits

Nut Setters


Bit Holder


Precision Bits



NECK TORSION

Neck design absorbs and reduces vibration during screwing into wood, tapping, and other similar applications. This shape also reduces bit bouncing thereby improving work efficiency and extending bit life.



Drive : 1/4 DIN 3126-C6.3, ISO 1173  H 6.35 mm

1/4" Hex NECK TORSION™ Insert Bit



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
NTPH1254P3	1	25.4	1"	X	3	Carded 426001
NTPH1254P25K	1	25.4	1"	X	25	Bulk 426042
NTPH2254P3	2	25.4	1"	X	3	Carded 426002
NTPH2254P5	2	25.4	1"	X	5	Carded 426004
NTPH2254P25T	2	25.4	1"	X	25	TicTac 426041
NTPH2254P25K	2	25.4	1"	X	25	Bulk 426043
NTPH3254P3	3	25.4	1"	X	3	Carded 426003
NTPH3254P25K	3	25.4	1"	X	25	Bulk 426044

1/4" Hex NECK TORSION™ Insert Bit



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
NTTX10254P25K	T10	25.4	1"	X	25	Bulk 426045
NTTX15254P3	T15	25.4	1"	X	3	Carded 426005
NTTX15254P25K	T15	25.4	1"	X	25	Bulk 426046
NTTX20254P3	T20	25.4	1"	X	3	Carded 426006
NTTX20254P25K	T20	25.4	1"	X	25	Bulk 426047
NTTX25254P3	T25	25.4	1"	X	3	Carded 426007
NTTX25254P25K	T25	25.4	1"	X	25	Bulk 426048
NTTX30254P25K	T30	25.4	1"	X	25	Bulk 426049

1/4" Hex NECK TORSION™ Insert Bit



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
NTSQ1254P3	SQ1	25.4	1"	X	3	Carded 426008
NTSQ1254P25K	SQ1	25.4	1"	X	25	Bulk 426050
NTSQ2254P3	SQ2	25.4	1"	X	3	Carded 426009
NTSQ2254P25K	SQ2	25.4	1"	X	25	Bulk 426051
NTSQ3254P3	SQ3	25.4	1"	X	3	Carded 426010
NTSQ3254P25K	SQ3	25.4	1"	X	25	Bulk 426052

1/4" Hex Insert Bit



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B33P03254H	0	25.4	1"	H	10	426124
B33P1254H	1	25.4	1"	H	10	421231
B33P145254H	1	25.4	1"	H	10	426120
B33P2254H	2	25.4	1"	H	10	421241
B33P25254H	2	25.4	1"	H	10	426125
B33P3254G	3	25.4	1"	G	10	421242

1/4" Hex Insert Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B33S4254G	SL4	25.4	1"	G	10	421251
B33S6254G	SL6	25.4	1"	G	10	421252

1/4" Hex Insert Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B33H2254H	H2	25.4	1"	H	10	421260
B33H25254H	H2.5	25.4	1"	H	10	421261
B33H3254H	H3	25.4	1"	H	10	421262
B33H4333H	H4	33	1 5/16"	H	10	421263
B33H5333H	H5	33	1 5/16"	H	10	421264
B33H6333H	H6	33	1 5/16"	H	10	421265

1/4" Hex Insert Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B33T325H	T3	25	1"	H	10	489154
B33T525H	T5	25	1"	H	10	489155
B33T6254H	T6	25.4	1"	H	10	635400
B33T725H	T7	25	1"	H	10	489157
B33T8254H	T8	25.4	1"	H	10	635401
B33T10254H	T10	25.4	1"	H	10	635402
B33T15254H	T15	25.4	1"	H	10	635403
B33T20254H	T20	25.4	1"	H	10	635404
B33T25254H	T25	25.4	1"	H	10	635405
B33T27254H	T27	25.4	1"	H	10	635406
B33T30254H	T30	25.4	1"	H	10	635407
B33T40254H	T40	25.4	1"	H	10	635408

1/4" Hex Insert Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B33IP1525H	15IP	25	1"	H	10	447204
B33IP2025H	20IP	25	1"	H	10	447205
B33IP2525H	25IP	25	1"	H	10	447206
B33IP3025H	30IP	25	1"	H	10	447207
B33IP4025H	40IP	25	1"	H	10	447208

Drive : 5/16 DIN 3126-C8, ISO 1173




5/16" Hex Insert Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
A5T3032H	T30	32	1 1/4"	H	10	635427
A5T4032H	T40	32	1 1/4"	H	10	635428
A5T4532H	T45	32	1 1/4"	H	10	635429
A5T5032H	T50	32	1 1/4"	H	10	635430

Drive : 1/4 DIN 3126-C6.3, ISO 1173




Magnet Screw Catcher




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B33MMBCP133H	1	33	1 5/16"	H	10	447105
B33MMBCP233H	2	33	1 5/16"	H	10	447106

Magnet Screw Catcher



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B33MMBCPZ133H	PZ1	33	1 5/16"	H	10	447107
B33MMBCPZ233H	PZ2	33	1 5/16"	H	10	447108

Magnet Screw Catcher



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B33MMBCT1033H	T10	33	1 5/16"	H	10	447104
B33MMBCT1533H	T15	33	1 5/16"	H	10	447102
B33MMBCT2033H	T20	33	1 5/16"	H	10	447103
B33MMBCT2533H	T25	33	1 5/16"	H	10	447110

Replacement Bits For MMBC Series



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B33MMBCT1033HRB	T10	33	1 5/16"	X	10	447329
B33MMBCT1533HRB	T15	33	1 5/16"	X	10	447330
B33MMBCT2033HRB	T20	33	1 5/16"	X	10	447331
B33MMBCT2533HRB	T25	33	1 5/16"	X	10	447332
B33MMBCP133HRB	1	33	1 5/16"	X	10	447333
B33MMBCP233HRB	2	33	1 5/16"	X	10	447334
B33MMBCPZ133HRB	PZ1	33	1 5/16"	X	10	447335
B33MMBCPZ233HRB	PZ2	33	1 5/16"	X	10	447336

e-ASSIST®
Screwdrivers

IMPACT & OUT™

MEGADORA™
Screwdrivers

BALL GRIP™
Screwdrivers

Cushion Grip
Screwdrivers

WOOD-COMPO™
Series

Precision
Screwdrivers

2WAY Series

Functional
Screwdrivers

Impact Drivers

Screwdriver Sets

"L-KEY"
Wrenches

Other
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/
Mag Catcher

Double-Ended
Power Bits

Nut Setters

Bit Holder

Precision Bits

Power Bits


IMPACT & OUT™

Drive : 1/4 DIN 3126-E6.3, ISO 1173  H 6.35 mm

MEGADORA™
Screwdrivers

1/4" Hex NECK TORSION™ Power Bit

BALL GRIP™
Screwdrivers



Cushion Grip
Screwdrivers


WOOD-COMPO™
Series

Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Length (A)	Hardness	Inner Ctn.	Code
NTPH150P2	1	50	2"	25	X	2	Carded 426017
NTPH150P25K	1	50	2"	25	X	25	Bulk 426053
NTPH250P2	2	50	2"	25	X	2	Carded 426018
NTPH250P5	2	50	2"	25	X	5	Carded 426022
NTPH250P15T	2	50	2"	25	X	15	TicTac 426029
NTPH250P25K	2	50	2"	25	X	25	Bulk 426054
NTPH275P2	2	75	3"	25	X	2	Carded 426019
NTPH275P10K	2	75	3"	25	X	10	Bulk 426062
NTPH2150P1	2	150	6"	100	X	1	Carded 426020
NTPH2150P10K	2	150	6"	100	X	10	Bulk 426063
NTPH350P2	3	50	2"	25	X	2	Carded 426021
NTPH350P25K	3	50	2"	25	X	25	Bulk 426055

"L-KEY"
Wrenches

Other
Hand Tools

1/4" Hex NECK TORSION™ Power Bit



IMPACT BALL™

NECK TORSION™


DRY WALLER™

Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
NNTX1550P2	T15	50	2"	X	2	Carded 426023
NNTX1550P25K	T15	50	2"	X	25	Bulk 426056
NNTX2050P2	T20	50	2"	X	2	Carded 426024
NNTX2050P25K	T20	50	2"	X	25	Bulk 426057
NNTX2550P2	T25	50	2"	X	2	Carded 426025
NNTX2550P25K	T25	50	2"	X	25	Bulk 426058

For Branding

Insert Bits

1/4" Hex NECK TORSION™ Power Bit



Power Bits

Power Bits/
Mag Catcher

Double-Ended
Power Bits

Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
NNTSQ150P2	SQ1	50	2"	X	2	Carded 426026
NNTSQ150P25K	SQ1	50	2"	X	25	Bulk 426059
NNTSQ250P2	SQ2	50	2"	X	2	Carded 426027
NNTSQ250P25K	SQ2	50	2"	X	25	Bulk 426060
NNTSQ350P2	SQ3	50	2"	X	2	Carded 426028
NNTSQ350P25K	SQ3	50	2"	X	25	TicTac 426061

Nut Setters

Bit Holder


Precision Bits

1/4" Hex Power BIT




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Body Diameter	Inner Ctn.	Code
B35P00122060H	00	60	2 3/8"	H	1.2	10	446126
B35P0015849H	00	49	2"	H	1.58	10	446423
B35P00240100H	00	100	4"	H	2.0	10	446141
B35P031749H	0	49	2"	H	3.17	10	487195
B35P0143060H	0	60	2 3/8"	H	1.4	10	446145
B35P022060H	0	60	2 3/8"	H	2.0	10	446153
B35P0230100H	0	100	4"	H	2.0	10	446157
B35P150H	1	50	2"	H	7	10	424032
B35P175H	1	75	3"	H	7	10	424035
B35P145100H	1	100	4"	H	4.5	10	424036
B35P14889H	1	89	3 1/2"	H	4.8	10	487202
B35P26100H	2	100	4"	H	6	10	489255
B35P26150H	2	150	6"	H	6	10	489673
B35P26200H	2	200	8"	H	6	10	446439
B35P263549H	2	49	2"	H	6.4	10	487205
B35P263570H	2	70	2 3/4"	H	6.35	10	487206
B35P263589H	2	89	3 1/2"	H	6.35	10	487207
B35P2635152H	2	152	6"	H	6.35	10	487208
B35P250X	2	50	2"	X	7	10	424061
B35P250G	2	50	2"	G	7	10	424040
B35P275X	2	75	3"	X	7	10	424062
B35P275H	2	75	3"	H	7	10	424047
B35P275G	2	75	3"	G	7	10	424041
B35P275E	2	75	3"	E	7	10	424042
B35P2775100H	2	100	4"	H	7	10	424048
B35P2100G	2	100	4"	G	7	10	424043
B35P2100E	2	100	4"	E	7	10	424044
B35P2150H	2	150	6"	H	7	10	424049
B35P2150G	2	150	6"	G	7	10	424045
B35P2150E	2	150	6"	E	7	10	424046
B35P245100H	2	100	4"	H	4.5	10	424038
B35P349H	3	49	2"	H	7.9	10	487210
B35P389H	3	89	3 1/2"	H	7.9	10	487212
B35P375H	3	75	3"	H	7	10	424050
B35P375E	3	75	3"	E	7	10	424051
B35P3100H	3	100	4"	H	7	10	424052
B35P3100E	3	100	4"	E	7	10	424053
B35P3150G	3	150	6"	G	7	10	424054

1/4" Hex Power BIT



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Tip Width/ Shank Diameter	Inner Ctn.	Code
B35S675E	SL6	75	3"	E	6	10	424075
B35S6351049H	SL6.35	49	2"	H	6.35	10	487245
B35S791249H	SL7	49	2"	H	7.9	10	487255


1/4" Hex Power BIT



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Length (A)	Body Diameter (D1)	Body Diameter (D2)	Inner Ctn.	Code
B35T549H	T5	49	2"	6.5	1.67	3.18	10	446486
B35T570H	T5	70	2 3/4"	6.5	1.67	3.18	10	447355
B35T589H	T5	89	3 2/1"	6.5	1.67	3.18	10	447356
B35T675H	T6	75	3"	6.5	1.95	3.96	10	635300
B35T6100H	T6	100	4"	6.5	1.95	3.96	10	635301
B35T6152H	T6	152	6"	6.5	1.95	3.18	10	447317
B35T770H	T7	70	2 3/4"	6.5	2.27	3.18	10	446499
B35T775H	T7	75	3"	6.5	2.27	4	10	635303
B35T790H	T7	90	3 1/2"	6.5	2.27	3.18	10	446509
B35T7152H	T7	152	6"	6.5	2.27	3.18	10	446519
B35T849H	T8	49	2"	7.0	2.6	3.18	10	446489
B35T870H	T8	70	2 3/4"	7.0	2.6	3.18	10	446500
B35T875H	T8	75	3"	7.0	2.6	4.5	10	635305
B35T890H	T8	90	3 1/2"	7.0	2.6	3.18	10	446510
B35T8100H	T8	100	4"	7.0	2.6	4.5	10	635306
B35T8152H	T8	152	6"	7.0	2.6	3.18	10	446520
B35T970H	T9	70	2 3/4"	7.0	2.78	3.18	10	446501
B35T990H	T9	90	3 1/2"	7.0	2.78	3.18	10	446511
B35T9152H	T9	152	6"	7.0	2.78	3.18	10	446521
B35T1049H	T10	49	2"	7.5	3.02	3.96	10	446491
B35T1070H	T10	70	2 3/4"	7.5	3.02	3.96	10	446502
B35T1075H	T10	75	3"	7.5	3.02	4.5	10	635310
B35T1090H	T10	90	3 1/2"	7.5	3.02	4.5	10	446513
B35T10100H	T10	100	4"	7.5	3.02	4.5	10	635311
B35T10152H	T10	152	6"	7.5	3.02	3.96	10	446522
B35T1549H	T15	49	2"	7.5	3.56	3.96	10	446492
B35T1570H	T15	70	2 3/4"	7.5	3.56	3.96	10	446503
B35T1575H	T15	75	3"	7.5	3.56	4.5	10	635315
B35T1590H	T15	90	3 1/2"	7.5	3.56	3.96	10	446513
B35T15100H	T15	100	4"	7.5	3.56	4.5	10	635316
B35T15152H	T15	152	6"	7.5	3.56	3.96	10	446523
B35T2049H	T20	49	2"	4.75	4.14	4.75	10	446493
B35T2070H	T20	70	2 3/4"	4.75	4.14	4.75	10	446504
B35T2075H	T20	75	3"	7.5	4.14	5	10	635320
B35T20100H	T20	100	4"	7.5	4.14	5	10	635321
B35T20152H	T20	152	6"	7.5	4.14	4.37	10	446524
B35T2570H	T25	70	2 3/4"	8.0	4.7	5	10	446505
B35T2575H	T25	75	3"	8.0	4.7	5	10	635325
B35T25100H	T25	100	4"	8.0	4.7	5	10	635326
B35T25152H	T25	152	6"	8.0	4.7	4.75	10	446525
B35T2775H	T27	75	3"	8.0	5.26	5.5	10	635330
B35T27100H	T27	100	4"	8.0	5.26	5.5	10	635331
B35T27152H	T27	152	6"	8.0	5.26	6.4	10	446526
B35T3070H	T30	70	2 3/4"	8.5	5.79	6.4	10	446507
B35T3075H	T30	75	3"	8.5	5.79	6	10	635335
B35T3090H	T30	90	3 1/2"	8.5	5.79	6.4	10	446517
B35T30100H	T30	100	4"	8.5	5.79	6	10	635336
B35T30152H	T30	152	6"	8.5	5.79	6.4	10	446527
B35T4049H	T40	49	2"	-	7	10	446497	
B35T4070H	T40	70	2 3/4"	-	8	10	446508	
B35T4075H	T40	75	3"	-	8	10	635340	
B35T4090H	T40	90	3 1/2"	-	8	10	446518	

Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Length (A)	Body Diameter (D1)	Body Diameter (D2)	Inner Ctn.	Code
B35T40100H	T40	100	4"	-	7	10	635341	
B35T40152H	T40	152	6"	-	-	8	10	446528
B35T4575H	T45	75	3"	-	7.9	10	635345	
B35T45100H	T45	100	4"	-	7.9	10	635346	

1/4" Hex Power BIT



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Length (A)	Body Diameter (D1)	Body Diameter (D2)	Inner Ctn.	Code
B35T6H75H	T6H	75	3"	6.5	1.95	3.96	10	635283
B35T6H100H	T6H	100	4"	6.5	1.95	3.96	10	635284
B35T8H75H	T8H	75	3"	7.0	2.60	4.5	10	635285
B35T8H100H	T8H	100	4"	7.0	2.60	4.5	10	635286
B35T10H49H	T10H	49	2"	7.5	3.02	3.96	10	446533
B35T10H70H	T10H	70	2 3/4"	7.5	3.02	3.96	10	446544
B35T10H75H	T10H	75	3"	7.5	3.02	4.5	10	635251
B35T10H100H	T10H	100	4"	7.5	3.02	4.5	10	635252
B35T15H75H	T15H	75	2 3/4"	7.5	3.56	4.5	10	635255
B35T15H100H	T15H	100	4"	7.5	3.56	4.5	10	635256
B35T20H49H	T20H	49	2"	7.5	4.14	4.37	10	446535
B35T20H70H	T20H	70	2 3/4"	7.5	4.14	4.37	10	446546
B35T20H75H	T20H	75	3"	7.5	4.14	5	10	635261
B35T20H100H	T20H	100	4"	7.5	4.14	5	10	635262
B35T25H75H	T25H	75	3"	8.0	4.70	5	10	635265
B35T25H100H	T25H	100	4"	8.0	4.70	5	10	635266
B35T27H75H	T27H	75	3"	8.0	5.26	5.5	10	635271
B35T27H100H	T27H	100	4"	8.0	5.26	5.5	10	635272
B35T30H75H	T30H	75	3"	8.5	5.79	6	10	635275
B35T30H100H	T30H	100	4"	8.5	5.79	6	10	635276
B35T40H75H	T40H	75	3"	-	-	7	10	635281
B35T40H100H	T40H	100	4"	-	-	7	10	635282

1/4" Hex Power BIT



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Length (A)	Body Diameter (D1)	Body Diameter (D2)	Hardness	Inner Ctn.	Code
B35H275H	H2	75	3"	9.5	2.35	7	H	10	424080
B35H2100H	H2	100	4"	9.5	2.35	7	H	10	424081
B35H2575H	H2.5	75	3"	9.5	2.9	7	H	10	424082
B35H25100H	H2.5	100	4"	9.5	2.9	7	H	10	424083
B35H25150H	H2.5	150	6"	9.5	2.9	7	H	10	424093
B35H375H	H3	75	3"	10	3.55	7	H	10	424084
B35H3100H	H3	100	4"	10	3.55	7	H	10	424085
B35H3150H	H3	150	6"	10	3.55	7	H	10	424094
B35H44649H	H4	49	2"	27	4.6	4.6	H	10	487282
B35H475H	H4	75	3"	11	4.75	7	H	10	424086
B35H4100H	H4	100	4"	11	4.75	7	H	10	424087
B35H4150H	H4	150	6"	11	4.75	7	H	10	424095
B35H55849H	H5	49	2"	27	5.8	5.8	H	10	487283
B35H575G	H5	75	3"	13	5.85	7	G	10	424088
B35H5100G	H5	100	4"	13	5.85	7	G	10	424089
B35H5150G	H5	150	6"	13	5.85	7	G	10	424096
B35H649H	H6	49	2"	-	6.35	H	10	487284	
B35H675G	H6	75	3"	-	7	G	10	424090	
B35H6100G	H6	100	4"	-	7	G	10	424091	
B35H6150G	H6	150	6"	-	7	G	10	424097	

e-ASSIST®
Screwdrivers

IMPACT & OUT™

MEGADORA™
Screwdrivers

BALL GRIP™
Screwdrivers

Cushion Grip
Screwdrivers

WOOD-COMPO™
Series

Precision
Screwdrivers

2WAY Series

Functional
Screwdrivers

Impact Drivers

Screwdriver
Sets

"L-KEY"
Wrenches

Other
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/
Mag Catcher

Double-Ended
Power Bits

Nut Setters

Bit Holder

Precision Bits

Power Bits/ Mag Catcher


IMPACT & OUT™

Drive : 1/4 DIN 3126-E6.3, ISO 1173 

MEGADORA™
Screwdrivers

1/4" Hex Power BIT

BALL GRIP™
Screwdrivers



Cushion Grip
Screwdrivers

WOOD-COMPO™
Series

Precision
Screwdrivers

2WAY Series

Functional
Screwdrivers

Impact Drivers

Screwdriver
Sets

"L-KEY"
Wrenches

Other
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/
Mag Catcher

Double-Ended
Power Bits

Nut Setters

Bit Holder

Precision Bits

Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Body Diameter	Inner Ctn.	Code
B35IP6152H	6IP	152	6"	H	1.64	10	447251
B35IP7152H	7IP	152	6"	H	1.99	10	447252
B35IP8152H	8IP	152	6"	H	2.31	10	447253
B35IP949H	9IP	49	2"	H	2.5	10	447229
B35IP970H	9IP	70	2 3/4"	H	2.5	10	447236
B35IP990H	9IP	90	3 1/2"	H	2.5	10	447243
B35IP9152H	9IP	152	6"	H	2.5	10	447226
B35IP1090H	10IP	90	3 1/2"	H	2.74	10	447244
B35IP10152H	10IP	152	6"	H	2.74	10	447254
B35IP1549H	15IP	49	2"	H	3.27	10	447230
B35IP1570H	15IP	70	2 3/4"	H	3.27	10	447237
B35IP1590H	15IP	90	3 1/2"	H	3.27	10	447245
B35IP15152H	15IP	152	6"	H	3.27	10	447255
B35IP2049H	20IP	49	2"	H	3.86	10	447231
B35IP2070H	20IP	70	2 3/4"	H	3.86	10	447238
B35IP2090H	20IP	90	3 1/2"	H	3.86	10	447246
B35IP20152H	20IP	152	6"	H	3.86	10	447256
B35IP2549H	25IP	49	2"	H	4.43	10	447232
B35IP2570H	25IP	70	2 3/4"	H	4.43	10	447239
B35IP2590H	25IP	90	3 1/2"	H	4.43	10	447247
B35IP25152H	25IP	152	6"	H	4.43	10	447257
B35IP3049H	30IP	49	2"	H	5.52	10	447234
B35IP3070H	30IP	70	2 3/4"	H	5.52	10	447241
B35IP3090H	30IP	90	3 1/2"	H	5.52	10	447249
B35IP30152H	30IP	152	6"	H	5.52	10	447259
B35IP4049H	40IP	49	2"	H	6.65	10	447235
B35IP4070H	40IP	70	2 3/4"	H	6.65	10	447242
B35IP4090H	40IP	90	3 1/2"	H	6.65	10	447250
B35IP40152H	40IP	152	6"	H	6.65	10	447260

1/4" Hex Power BIT




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B35P123H	1	23	7/8"	H	10	424131
B35P223H	2	23	7/8"	H	10	424141
B35P240H	2	40	1 9/16"	H	10	424143
B35P2100H	2	100	4"	H	10	424147

1/4" Hex Power BIT



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Body Diameter	Hardness	Inner Ctn.	Code
B35PZ14850H	PZ1	50	2"	4.8	H	10	424101
B35PZ26350H	PZ2	50	2"	6.3	H	10	424102
B35PZ3850H	PZ3	50	2"	8	H	10	424103

1/4" Hex Power BIT




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B35TW140H	TW1	40	1 9/16"	H	10	424201
B35TW240H	TW2	40	1 9/16"	H	10	424202
B35TW340H	TW3	40	1 9/16"	H	10	424203
B35TW440H	TW4	40	1 9/16"	H	10	424204

1/4" Hex NECK TORSION™ Mag Catcher Power Bit



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B35MMBCT1049H	T10	49	2"	H	10	447111
B35MMBCT1070H	T10	70	2 3/4"	H	10	447112
B35MMBCT1549H	T15	49	2"	H	10	447115
B35MMBCT1570H	T15	70	2 3/4"	H	10	447116
B35MMBCT2049H	T20	49	2"	H	10	447113
B35MMBCT2075H	T20	75	3"	H	10	447101
B35MMBCT20150	T20	150	6"	H	10	447109
B35MMBCT2549H	T25	49	2"	H	10	447117
B35MMBCT2570H	T25	70	2 3/4"	H	10	447118

1/4" Hex NECK TORSION™ Mag Catcher Insert Bit Replacement Bit



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B35MMBCT1049HRB	T10	49	2"	H	10	447337
B35MMBCT1070HRB	T10	70	2 3/4"	H	10	447338
B35MMBCT1549HRB	T15	49	2"	H	10	447361
B35MMBCT1570HRB	T15	70	2 3/4"	H	10	447362
B35MMBCT2049HRB	T20	49	2"	H	10	447339
B35MMBCT2075HRB	T20	75	3"	H	10	447340
B35MMBCT20150HRB	T20	150	6"	H	10	447341


1/4" Hex Power Bit Reduced Shaft



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Length (A(B))	Hardness	Body Diameter	Inner Ctn.	Code
MAB16P24565H	2	65	2 9/16"	40	H	4.5	10	415301
MAB16P245100H	2	100	4"	75	H	4.5	10	415302
MAB16P245150H	2	150	6"	50(75)	H	4.5	10	415303

MAGNETIC SCREW CATCHER

super magnet holds extra long screw.



Model No.	Overall Length (mm)	Overall Length (inch)	Inner Ctn.	Code
MBCAF63571	71	2 3/4"	1	486345

Double-Ended Power Bits

Drive : 1/4 DIN 3126-E6.3, ISO 1173 

1/4" Hex Double-Ended Power BIT



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B43P175H	1	75	3"	H	10	425032
B43P250X	2	50	2"	X	10	425036
B43P250H	2	50	2"	H	10	425037
B43P250E	2	50	2"	E	10	425038
B43P275X	2	75	3"	X	10	425039
B43P275H	2	75	3"	H	10	425040
B43P275G	2	75	3"	G	10	425041
B43P275E	2	75	3"	E	10	425042
B43P2100X	2	100	4"	X	10	425046
B43P2100H	2	100	4"	H	10	425047
B43P2100G	2	100	4"	G	10	425043
B43P2100E	2	100	4"	E	10	425044
B43P2150X	2	150	6"	X	10	425048
B43P2150H	2	150	6"	H	10	425049
B43P2150G	2	150	6"	G	10	425045
B43P2200G	2	200	8"	G	10	425050
B43P2300H	2	300	12"	H	10	446373
B43P375H	3	75	3"	H	10	425054
B43P375E	3	75	3"	E	10	425055
B43P3100H	3	100	4"	H	10	425057
B43P3100E	3	100	4"	E	10	425058
B43P3150H	3	150	6"	H	10	446375

1/4" Hex Double-Ended Power BIT



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
MB43P275H	2	75	3"	H	10	446669
MB43P2100H	2	100	4"	H	10	446672
MB43P2150H	2	150	6"	H	10	446673

1/4" Hex Double-Ended Power BIT



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B43PP275H	2	75	3"	H	10	425171
B43PP2100H	2	100	4"	H	10	425172

1/4" Hex Double-Ended Power BIT



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B43HP275H	2	75	3"	H	10	425151
B43HP2100H	2	100	4"	H	10	425153
B43HP2150H	2	150	6"	H	10	425155

1/4" Hex Double-Ended Power BIT




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Inner Ctn.	Code
B43BP250S	2	50	2"	S	10	425141
B43BP275S	2	75	3"	S	10	425142
B43BP2100S	2	100	4"	S	10	425143
B43BP2150S	2	150	6"	S	10	425144

1/4" Hex Double-Ended Power BIT




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Body Diameter	Inner Ctn.	Code
BT43P275H	2	75	3"	H	Torsion	10	425161
BT43P2100H	2	100	4"	H	Torsion	10	425162

1/4" Hex Double-Ended Power BIT



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Hardness	Body Diameter	Inner Ctn.	Code
BT43PP275X	2	75	3"	X	Torsion	10	425201
BT43PP2100X	2	100	4"	X	Torsion	10	425202

Selecting best fit Cross-Point tip* for various screw types



* M dimension : width across flats of screw recess from the top view

* Cross-Point is a registered trademark of Phillips Screw Co.

* Refer to P53 for hardness table (heat treatment classification).

e-ASSIST®
Screwdrivers

IMPACT & OUT™

MEGADORA™
Screwdrivers

BALL GRIP™
Screwdrivers

Cushion Grip
Screwdrivers

WOOD-COMPO™
Series

Precision
Screwdrivers

2WAY Series

Functional
Screwdrivers

Impact Drivers

Screwdriver
Sets

"L-KEY"
Wrenches

Other
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/
Mag Catcher

Double-Ended
Power Bits

Nut Setters

Bit Holder


Precision Bits

Nut Setters



Drive : 1/4 DIN 3126-C6.3, ISO 1173 H 6.35 mm


Nutsetter 1/4" Hex Nutsetter Metric



Model No.	Socket Size	Overall Length (mm)	Overall Length (inch)	Socket Nose Diameter ϕ	Inner Ctn. Code
B45AF450	A/F4	50	2"	8	10 489301
B45AF475	A/F4	75	3"	8	10 489314
B45AF4100	A/F4	100	4"	8	10 489327
B45AF4550	AF/4.5	50	2"	8	10 489302
B45AF550	AF/5	50	2"	8	10 489303
B45AF575	AF/5	75	3"	8	10 489316
B45AF5100	AF/5	100	4"	8	10 489329
B45AF5550	A/F5.5	50	2"	9	10 489304
B45AF5575	A/F5.5	75	3"	9	10 424281
B45AF55100	A/F5.5	100	4"	9	10 424380
B45AF55150	A/F5.5	150	6"	9	10 424265 ☆
B45AF650	A/F6	50	2"	10	10 489305
B45AF675	A/F6	75	3"	10	10 424282 ☆
B45AF6100	A/F6	100	4"	10	10 424381
B45AF6150	A/F6	150	6"	10	10 424266 ☆
B45AF750	A/F7	50	2"	13.5	10 489306
B45AF71175	A/F7	75	3"	11	10 424279
B45AF775	A/F7	75	3"	13.5	10 424283 ☆
B45AF711100	A/F7	100	4"	11	10 424280
B45AF7100	A/F7	100	4"	13.5	10 424382 ☆
B45AF7150	A/F7	150	6"	13.5	10 424267 ☆
B45AF850	A/F8	50	2"	13.5	10 489307
B45AF875	A/F8	75	3"	13.5	10 424284 ☆
B45AF8100	A/F8	100	4"	13.5	10 424383 ☆
B45AF8150	A/F8	150	6"	13.5	10 424483 ☆
B45AF950	A/F9	50	2"	16	10 489308
B45AF1050	A/F10	50	2"	16	10 489309
B45AF1075	AF/10	75	3"	16	10 424286 ☆
B45AF10100	AF/10	100	4"	16	10 424384 ☆
B45AF10150	AF/10	150	6"	16	10 424484 ☆
B45AF1150	A/F11	50	2"	17	10 489310
B45AF1175	A/F11	75	3"	17	10 424270 ☆
B45AF11100	A/F11	100	4"	17	10 424271 ☆
B45AF1250	A/F12	50	2"	18	10 489311
B45AF1275	A/F12	75	3"	18	10 424287 ☆
B45AF12100	A/F12	100	4"	18	10 424385 ☆
B45AF12150	A/F12	150	6"	18	10 424272 ☆
B45AF1350	A/F13	50	2"	19	10 489312
B45AF1375	AF/13	75	3"	19	10 424288 ☆
B45AF13100	AF/13	100	4"	19	10 424386 ☆
B45AF1450	A/F14	50	2"	20	10 489313
B45AF1475	A/F14	75	3"	20	10 424289 ☆
B45AF14100	A/F14	100	4"	20	10 424387 ☆

Features of press-fit type sockets

(Press-fit type: marked with a star symbol in the table of each model)




The shank and socket have been heat-treated to the best hardness and press-fit together. The socket part is strong against wear and the shank against twisting, resulting in higher durability.

Prevents shank breakage
Torsion moment with a static torque



☆ = Made with a patented axial press-fit shank technique.


Nutsetter 1/4" Hex Magnet Nutsetter Metric



Model No.	Socket Size	Overall Length (mm)	Overall Length (inch)	Socket Nose Diameter φ	Inner Ctn. Code
MB45AF550	A/F5	50	2"	8.5	10 489340
MB45AF575	A/F5	75	3"	8.5	10 489351
MB45AF5100	A/F5	100	4"	8.5	10 489362
MB45AF5550	A/F5.5	50	2"	9	10 489341
MB45AF5575	A/F5.5	75	3"	9	10 489352
MB45AF650	A/F6	50	2"	10	10 489342
MB45AF675	A/F6	75	3"	10	10 489353
MB45AF6100	A/F6	100	4"	10	10 489364
MB45AF750	A/F7	50	2"	13	10 489343
MB45AF765	A/F7	65	2 9/16"	13	10 482520
MB45AF775	A/F7	75	3"	13	10 489354
MB45AF7100	A/F7	100	4"	13	10 489365
MB45AF7150	A/F7	150	4"	13.5	10 446622
MB45AF850	A/F8	50	2"	13.5	10 489344
MB45AF865	A/F8	65	2 9/16"	13.5	10 482521 ☆
MB45AF875	A/F8	75	3"	13.5	10 482523
MB45AF8100	A/F8	100	4"	13.5	10 482524 ☆
MB45AF8150	A/F8	150	6"	13.5	10 424274 ☆
MB45AF950	A/F9	50	2"	14	10 489345
MB45AF9665	A/F9.6	65	2 9/16"	15	10 482522 ☆
MB45AF1050	A/F10	50	2"	16	10 489346
MB45AF1075	A/F10	75	3"	16	10 482525 ☆
MB45AF10100	A/F10	100	4"	16	10 482526 ☆
MB45AF10150	A/F10	150	6"	16	10 424275 ☆
MB45AF1150	A/F11	50	2"	17	10 489347
MB45AF1175	A/F11	75	3"	17	10 489358
MB45AF11100	A/F11	100	4"	17	10 489369
MB45AF1250	A/F12	50	2"	19	10 489348
MB45AF1275	A/F12	75	3"	18	10 424276 ☆
MB45AF12100	A/F12	100	4"	18	10 424277 ☆
MB45AF12150	A/F12	150	6"	18	10 424278 ☆
MB45AF1350	A/F13	50	2"	19	10 489349
MB45AF1375	A/F13	75	3"	19	10 489360
MB45AF13100	A/F13	100	4"	19	10 489371
MB45AF13150	A/F13	150	6"	19	10 446626
MB45AF1475	A/F14	75	3"	20	10 489361
MB45AF14100	A/F14	100	4"	20	10 489372


☆ = Made with a patented axial press-fit shank technique.

Nutsetter 1/4" Hex Sliding Magnet Nutsetter Metric



Model No.	Socket Size	Overall Length (mm)	Overall Length (inch)	Socket Nose Diameter φ	Inner Ctn. Code
MB45DAF8100	A/F8	100	4"	13	10 482516
MB45DAF10100	A/F10	100	4"	16	10 482517

Nutsetter 1/4" Hex Side Magnet Nutsetter Metric



Model No.	Socket Size	Overall Length (mm)	Overall Length (inch)	Socket Nose Diameter φ	Inner Ctn. Code
MB45SAF8100	A/F8	100	4"	13	10 482406
MB45SAF10100	A/F10	100	4"	16	10 482407

e-ASSIST®
Screwdrivers

IMPACT & OUT™



MEGADORA™
Screwdrivers



BALL GRIP™
Screwdrivers

Cushion Grip
Screwdrivers

WOOD-COMPO™
Series

Precision
Screwdrivers

2WAY Series



Functional
Screwdrivers



Impact Drivers

Screwdriver
Sets

"L-KEY"
Wrenches

Other
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/
Mag Catcher

Double-Ended
Power Bits

Nut Setters

Bit Holder

Precision Bits


Bit Holder




TORSION ZONE ABSORB SHOCKS

Torsion zone absorbs the impact caused by an impact driver when the screw head is fully seated. Impact absorption helps to reduce tip breakage.


NECK TORSION



Drive : 1/4 DIN 3126-E6.3, ISO 1173



Bit Holder 1/4" Hex Magnet Bit Holder




Magnetic



Model No.	Socket Size	Overall Length (mm)	Overall Length (inch)	Socket Nose Diameter ϕ	Inner Ctn.	Code
HBMAF63575	6.4(1/4")	75	3"	11.2(7/16")	10	482425

Bit Holder 1/4" Hex Bit Holder w. C-pin



Model No.	Socket Size	Overall Length (mm)	Overall Length (inch)	Socket Nose Diameter ϕ	Inner Ctn.	Code
HBAF63575	6.4(1/4")	75	3"	10(13/32")	10	482420

IMPACT BALL™ Torsion Magnet Bit Holder



Magnetic



Model No.	Socket Size	Overall Length (mm)	Overall Length (inch)	Socket Nose Diameter ϕ	Inner Ctn.	Code
IBHBM67P10K	6.4(1/4")	67	2 5/8"	11.2	10	426099
IBHBM150P10K	6.4(1/4")	150	6"	11.2	10	426100
IBHBM300P10K	6.4(1/4")	300	12"	11.2	10	426101


Hex Socket Adapter




Model No.	Drive Size	Overall Length (mm)	Overall Length (inch)	Inner Ctn.	Code
B35SA63575	6.35(1/4")	75	3"	10	487382
B35SA635100	6.35(1/4")	100	4"	10	487383
B35SA635150	6.35(1/4")	150	6"	10	487384
B35SA9550	9.6(3/8")	50	2"	10	487391
B35SA9575	9.6(3/8")	75	3"	10	487392
B35SA95100	9.6(3/8")	100	4"	10	487393
B35SA95150	9.6(3/8")	150	6"	10	487394

Precision Bits

Drive : 4mm HIOS direct drive




Cross-Point Precision Bit



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn. Code
D73P00122040	00	40	1 9/16"	1.2	20	10 446001
D73P00152040	00	40	1 9/16"	1.5	20	10 483001
D73P00152060	00	60	2 3/8"	1.5	20	10 483002
D73P00152080	00	80	3 1/8"	1.5	20	10 483003
D73P00172040	00	40	1 9/16"	1.7	20	10 446004
D73P0022040	00	40	1 9/16"	2	20	10 483005
D73P0022060	00	60	2 3/8"	2	20	10 483006
D73P0142040	0	40	1 9/16"	1.4	20	10 446016
D73P0142060	0	60	2 3/8"	1.4	20	10 446017
D73P0142080	0	80	3 1/8"	1.4	20	10 483008
D73P0152040	0	40	1 9/16"	1.5	20	10 446022
D73P0152060	0	60	2 3/8"	1.5	20	10 446076
D73P0172040	0	40	1 9/16"	1.7	20	10 483010
D73P0172060	0	60	2 3/8"	1.7	20	10 483011
D73P0172080	0	80	3 1/8"	1.7	20	10 483012
D73P0182060	0	60	2 3/8"	1.8	20	10 483013
D73P022040	0	40	1 9/16"	2	20	10 446025
D73P022060	0	60	2 3/8"	2	20	10 446026
D73P023060	0	60	2 3/8"	2	30	10 446029
D73P022080	0	80	3 1/8"	2	20	10 446027
D73P0220100	0	100	4"	2	20	10 446028
D73P0220120	0	120	4 3/4"	2	20	10 483014
D73P0252040	0	40	1 9/16"	2.5	20	10 483015
D73P0252060	0	60	2 3/8"	2.5	20	10 483016
D73P0252080	0	80	3 1/8"	2.5	20	10 446033
D73P02520100	0	100	4"	2.5	20	10 446034
D73P02520120	0	120	4 3/4"	2.5	20	10 483017
D73P1252040	1	40	1 9/16"	3	20	10 446048
D73P132040	1	40	1 9/16"	3	20	10 483021
D73P132060	1	60	2 3/8"	3	20	10 446053
D73P132080	1	80	3 1/4"	2	20	10 446054
D73P1320100	1	100	4"	3	20	10 446055
D73P1320120	1	120	3 1/8"	3	20	10 483376
D73P140	1	40	1 9/16"	4	-	10 483025
D73P160	1	60	2 3/8"	4	-	10 446059
D73P180	1	80	3 1/8"	4	-	10 483026
D73P1100	1	100	4"	4	-	10 483027
D73P1120	1	120	4 3/4"	4	-	10 483028
D73P1150	1	150	6"	4	-	10 483029
D73P1200	1	200	8"	4	-	10 483032
D73P240	2	40	1 9/16"	4	-	10 483031
D73P260	2	60	2 3/8"	4	-	10 446070
D73P280	2	80	3 1/8"	4	-	10 446071
D73P2100	2	100	4"	4	-	10 446072
D73P2120	2	120	4 3/4"	4	-	10 446073
D73P2150	2	150	6"	4	-	10 483033

Slotted Precision Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Tip Width/ Shank Diameter	Length (A)	Inner Ctn. Code
D73S20340	SL2	40	1 9/16"	2	20	10 483041
D73S250340	SL2.5	40	1 9/16"	2.5	20	10 483042
D73S30440	SL3	40	1 9/16"	3	20	10 483043
D73S40540	SL4	40	1 9/16"	4	-	10 483044

Hex Precision Bit



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn. Code
D73H1522060	H1.5	60	2 3/8"	2	20	10 483051
D73H232060	H2	60	2 3/8"	3	20	10 483052
D73H2532060	H2.5	60	2 3/8"	3	20	10 483053
D73H360	H3	60	2 3/8"	4	-	100 483054

TORX Precision Bit



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn. Code
D73T1152040	T1	40	1 9/16"	1.5	20	10 635621
D73T152040	T2	40	1 9/16"	1.5	20	10 635622
D73T3172040	T3	40	1 9/16"	1.7	20	10 635623
D73T4182040	T4	40	1 9/16"	1.8	20	10 635624
D73T522040	T5	40	1 9/16"	2	20	10 635625
D73T522060	T5	60	2 3/8"	2	20	10 446108
D73T6252040	T6	40	1 9/16"	2.5	20	10 635626
D73T622040	T6	40	1 9/16"	2	20	10 446109
D73T622060	T6	60	2 3/8"	2	20	10 446110
D73T7252040	T7	40	1 9/16"	2.5	20	10 635627
D73T722060	T7	60	2 3/8"	2	20	10 446113
D73T832040	T8	40	1 9/16"	3	20	10 635628
D73T932040	T9	40	1 9/16"	3	20	10 635629
D73T1032040	T10	40	1 9/16"	3	20	10 635630
D73T10H60	T10H	60	2 3/8"	4	-	10 446119

e-ASSIST®
Screwdrivers

IMPACT & OUT™

MEGADORA™
Screwdrivers

BALL GRIP™
Screwdrivers

Cushion Grip
Screwdrivers

WOOD-COMPO™
Series

Precision
Screwdrivers

2WAY Series

Functional
Screwdrivers

Impact Drivers

Screwdriver
Sets

"L-KEY"
Wrenches

Other
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/
Mag Catcher

Double-Ended
Power Bits

Nut Setters

Bit Holder

Precision Bits

Precision Bits

IMPACT & OUT™

Drive : 5mm HIOS direct drive



MEGADORA™
Screwdrivers

Cross-Point Precision Bit

BALL GRIP™
Screwdrivers



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn.	Code
D76P0022060	00	60	2 3/8"	2	20	10	483105
D76P022560	0	60	2 3/8"	2	25	10	483106
D76P0252560	0	60	2 3/8"	2.5	25	10	483115
D76P02525100	0	100	4"	2.5	25	10	483117
D76P133060	1	60	2 3/8"	3	30	10	483121
D76P133080	1	80	3 1/8"	3	30	10	446267
D76P1330100	1	100	4"	3	30	10	483122
D76P1330120	1	120	4 3/4"	3	30	10	483123
D76P160	1	60	2 3/8"	5	-	10	483125
D76P1100	1	100	4"	5	-	10	483127
D76P1200	1	200	8"	5	-	10	483132
D76P260	2	60	2 3/8"	5	-	10	483131
D76P280	2	80	3 1/8"	5	-	10	446279
D76P2100	2	100	4"	5	-	10	446280
D76P2120	2	120	4 3/4"	5	-	10	446281
D76P2150	2	150	6"	5	-	10	446282
D76P2200	2	200	8"	5	-	10	483137

IMPACT BALL™

Slotted Precision Bit

NECK TORSION™




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn.	Code
D76S30434060	SL3	60	2 3/8"	3	40	10	483141
D76S40643060	SL4	60	2 3/8"	4	30	10	483142
D76S50760	SL5	60	2 3/8"	5	-	10	483143

For Branding

Hex Precision Bit

Insert Bits



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn.	Code
D76H233070	H2	70	3 3/4"	3	30	10	483151
D76H2533070	H2.5	70	3 3/4"	3	30	10	483152
D76H343070	H3	70	3 3/4"	4	30	10	483153
D76H470	H4	70	3 3/4"	5	-	10	483154

Power Bits

Power Bits/
Mag Catcher

Double-Ended
Power Bits

Nut Setters

Bit Holder


Precision Bits

TORX Precision Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn.	Code
D76T522060	T5	60	2 3/8"	2	20	10	635651
D76T6252060	T6	60	2 3/8"	2.5	20	10	635652
D76T7252060	T7	60	2 3/8"	2.5	20	10	635653
D76T832060	T8	60	2 3/8"	3	20	10	635654
D76T932060	T9	60	2 3/8"	3	20	10	635655
D76T1032060	T10	60	2 3/8"	3	20	10	635656
D76T1542060	T15	60	2 3/8"	4	20	10	635657
D76T2060	T20	60	2 3/8"	5	-	10	635658
D76T2560	T25	60	2 3/8"	5	-	10	635659

Drive : 4mm HIOS direct drive




Nutsetter



Model No.	Socket Size	Overall Length (mm)	Overall Length (inch)	Socket Nose Diameter φ	Inner Ctn.	Code
D73AF460	A/F4	60	2 3/8"	8	10	483924
D73AF560	A/F5	60	2 3/8"	8	10	483926
D73AF5560	A/F5.5	60	2 3/8"	8	10	483927

Drive : 4mm half moon direct drive




Cross-Point Precision Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn.	Code
D71P001544	00	44	1 3/4"	1.5	20	10	482901
D71P001564	00	64	2 1/2"	1.5	20	10	482902
D71P0244	0	44	1 3/4"	2	20	10	482911
D71P0264	0	64	2 1/2"	2	20	10	482912
D71P02544	0	44	1 3/4"	2.5	20	10	482913
D71P02564	0	64	2 1/2"	2.5	20	10	482914
D71P1344	1	44	1 3/4"	3	20	10	482921
D71P1364	1	64	2 1/2"	3	20	10	482922
D71P1444	1	44	1 3/4"	4	20	10	482923
D71P1464	1	64	2 1/2"	4	20	10	482924
D71P2444	2	44	1 3/4"	4	20	10	482931
D71P2464	2	64	2 1/2"	4	20	10	482932

Slotted Precision Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn. Code
D71S20344	SL2	44	1 3/4"	2	20	10 482941
D71S250344	SL2.5	44	1 3/4"	2.5	20	10 482942
D71S30444	SL3	44	1 3/4"	3	20	10 482943
D71S40544	SL4	44	1 3/4"	4	20	10 482944

Hex Precision Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn. Code
D71H15244	H1.5	44	1 3/4"	2	20	10 482951
D71H2344	H2	44	1 3/4"	3	20	10 482952
D71H25344	H2.5	44	1 3/4"	3	20	10 482953
D71H3444	H3	44	1 3/4"	4	-	10 482954

TORX Precision Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn. Code
D71T144	T1	44	1 3/4"	1.5	20	10 635601
D71T244	T2	44	1 3/4"	1.5	20	10 635602
D71T344	T3	44	1 3/4"	1.7	20	10 635603
D71T444	T4	44	1 3/4"	1.8	20	10 635604
D71T544	T5	44	1 3/4"	2.5	20	10 635605
D71T644	T6	44	1 3/4"	2.5	20	10 635606
D71T744	T7	44	1 3/4"	2.5	20	10 635607
D71T844	T8	44	1 3/4"	3	20	10 635608
D71T944	T9	44	1 3/4"	3	20	10 635609
D71T1044	T10	44	1 3/4"	3	20	10 635610
D71T8H44	T8H	44	1 3/4"	4	-	10 446323
D71T15H44	T15H	44	1 3/4"	4	-	10 446328

TORX Plus Precision Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Length (A)	Inner Ctn. Code
D71IP244	2IP	44	1 3/4"	1.5	20	10 447428
D71IP264	2IP	64	2 1/2"	1.5	20	10 447412
D71IP344	3IP	44	1 3/4"	1.7	20	10 447429
D71IP364	3IP	64	2 1/2"	1.7	20	10 447413

Nutsetter Precision Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Inner Ctn. Code
D72AF444	A/F4	44	1 3/4"	7	10 482961
D72AF4544	A/F4.5	44	1 3/4"	7	10 482962
D72AF544	A/F5	44	1 3/4"	8	10 482963
D72AF5544	A/F5.5	44	1 3/4"	8	10 482964

Drive : M5/M6



Screw Shank Driver Bit




Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Screw Pitch	Inner Ctn. Code
M4P07P134	1	34	1 5/16"	P0.7	10 489656
M4P07P234	2	34	1 5/16"	P0.7	10 489657

Bits for screw fastening robots (Semi-standardized items)



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Diameter (d2)	Screw Pitch	Inner Ctn. Code
M5P08P274	2	74	3"	5.0	6.0	P0.8	10 483301
M6P1P274	2	74	3"	6.0	7.0	P1.0	10 483302

Bits for screw fastening robots (Semi-standardized items)



Model No.	Tip Size	Overall Length (mm)	Overall Length (inch)	Diameter (d1)	Screw Pitch	Inner Ctn. Code
M6P1P2100	2	100	4"	6.0	P1.0	10 483303