

# Index

100 ..... 24  
 200 ..... 19  
 2005PBU ..... 33  
 220 ..... 18  
 2200 ..... 19  
 22002N3EVA ..... 33  
 22005EVA ..... 33  
 2200B ..... 19  
 2200MBH ..... 19  
 2204PBU ..... 33  
 220SQ ..... 18  
 220USB ..... 8  
 220W ..... 20  
 225 ..... 19  
 230 ..... 18  
 2304JSPB ..... 31  
 230W ..... 20  
 238HWB ..... 12  
 250 ..... 18  
 265 ..... 22  
 270BW ..... 22  
 300 ..... 24  
 3006CS ..... 34  
 320 ..... 24  
 330 ..... 24  
 3308EVA ..... 34  
 3407EVA ..... 34  
 3808EVA ..... 34  
 400ER2 ..... 6  
 460A2U ..... 28  
 550A2U ..... 28  
 550A8PTU ..... 34  
 550APH4PBU ..... 34  
 640T ..... 22  
 700 ..... 22  
 720 ..... 22  
 730 ..... 22  
 8209BP ..... 35  
 8309BP ..... 36  
 8509BTXU ..... 36  
 8509TXHU ..... 36  
 900 ..... 14  
 9000 ..... 26

9006PB ..... 32  
 9008EVA ..... 32  
 900RT5PU ..... 15  
 910 ..... 14  
 920 ..... 14  
 930 ..... 14  
 9308EVA ..... 32  
 960 ..... 15  
 9606EVA ..... 32  
 970 ..... 15  
 9706EVA ..... 32  
 970CR2SC ..... 33  
 970HR3PB ..... 33  
 980 ..... 16  
 9802SC ..... 33  
 9806JSPB ..... 31  
 980MIXEVA ..... 32  
 9836U ..... 26  
 99005 ..... 26  
 99005 ..... 26  
 9900E ..... 26  
 9902E ..... 26  
 9903E ..... 26

## B

B39K10P01 ..... 12

## C

C50 ..... 30  
 C51 ..... 30

## D

DAK2 ..... 38  
 DAKB2 ..... 38

## H

H70 ..... 37  
 H7610 ..... 37  
 H7710 ..... 37  
 HRH ..... 25  
 HRW ..... 25  
 HZB10P01 ..... 12

## I

ID240001 ..... 30  
 ID250001 ..... 30  
 ID260002 ..... 30

## R

RG95 ..... 37  
 RH70 ..... 37  
 RH7610 ..... 37  
 RH7710 ..... 37

## S

SLH21U ..... 27

## T

TD6700FX4U ..... 29  
 TD6700W23U ..... 29  
 TD6804MGU ..... 29  
 TD6808MGU ..... 29  
 TD6808TXU ..... 29  
 TD6816MGU ..... 29  
 TPK30 ..... 38  
 TX76U ..... 28  
 TX79U ..... 28

## U

USB45BSQ2S10 ..... 8

## W

WB ..... 38  
 WS3000 ..... 38  
 WS3500E ..... 38

## Z

ZW ..... 37

## FOLLOW US



@VESSELTOOLSUSAInc.



@vesseltoolsusa



vessel\_tools\_usa



@vesseltoolsusa

### Warranty Policy for VESSEL brand

Warranty coverage applies only to products purchased directly from VESSEL TOOLS USA or our authorized sellers.

Products purchased from unauthorized resellers, including purchases made on eBay, Walmart, or Amazon.co.jp are not eligible, even if the product appears genuine.

For marketplace purchases, warranty eligibility may depend on the platform and our distribution relationship, not on the individual seller.

# e-ASSIST<sup>®</sup> Screwdrivers













Product Video

Do your work more efficiently,  
Easy to use.



Product Video

 <b>3 Speeds</b> <b>[220USBP5U]</b>	 <b>Higher Torque</b> <b>[220USB1U]</b>	 <b>Higher Torque + 25pcs bits set</b> <b>[220USB25U]</b>	 <b>Higher Speed</b> <b>[220USBS1U]</b>
--	--	---	--

<b>Speed</b>	[Slow] 280rpm [Medium] 340rpm [High] 400rpm	280rpm		1,200rpm
<b>Torque (Electric)</b>	[Slow] 10.6lbf-in [Medium] 14.2lbf-in [High] 17.7lbf-in	17.7lbf-in		3.5lbf-in
<b>Torque (Manual)</b>	106.2lbf-in	88.5lbf-in		88.5lbf-in
<b>Weight</b>	0.37lb	0.35lb	0.35lb (Tool Only) 1.2lb(Set)	0.35lb
<b>Size (Inch)</b>	5-3/4" 	5-1/2" 		5-1/2" 
<b>Charging Type</b>	USB Type-C 	Micro USB Type-B 		Micro USB Type-B 
<b>Anti-lanyard</b>	Attachable	Not attachable		Not attachable
<b>Bits</b>	5pcs 	1pc 	25pcs 	1pc 

## e-ASSIST® Screwdriver <Higher Torque Model>



- Electric output 17.7lbf-in (2.0N·m), No-load speed 280rpm, Manual torque up to 88.5lbf-in (10.N·m)
- Electric power for quick tightening and Manual for final tightening.
- With High Brightness LED light.
- Built in USB Recharge Li-ion Battery (3.6V-800mAh).
- 6.35mm HEX shank.



Electric Output <b>17.7 lbf-in</b>	No-load Speed <b>280 rpm</b>	Manual Torque <b>Up to 88.5 lbf-in</b>
---------------------------------------	---------------------------------	---

### Contents

- 220USB1U×1pc • Impact Ball Torsion Bit (Φ2×90mm)×1pc
- USB Charging Cable (Micro USB Type B) (1m)×1pc

Model No.					Code
220USB1U	⊕ 2	90*1	43	140*2	148514

\*1 Bit \*2 Tool Only

## e-ASSIST® Screwdriver with 25 PC. Bit Set

- Electric output 17.7lbf-in(2.0N·m), No-load speed 280rpm, Manual torque up to 88.5lbf-in(10.N·m)
- With 24pc of bits and 1pc of bit holder.
- Electric power for quick tightening and Manual for final tightening.
- With High Brightness LED light.
- Built in USB Recharge Li-ion Battery (3.6V-800mAh).
- 6.35mm HEX shank.



Electric Output <b>17.7 lbf-in</b>	No-load Speed <b>280 rpm</b>	Manual Torque <b>Up to 88.5 lbf-in</b>
---------------------------------------	---------------------------------	---

### Contents

- 220USB1U(Higher Torque model)×1pc • Impact Ball Torsion Bit (30mm) ×24pc
- Impact Ball Bit holder×1pc • USB Charging Cable (Micro USB Type B) (1m)×1pc

Model No.			Package size (mm)	Code
220USB25U	30*1/67*2	140*3	184x123x67	148527

\*1 Bit only \*2 Bit Holder only \*3 Tool only

## e-ASSIST® Screwdriver <Higher Speed model>



- Electric output 3.5lbf-in (0.4N·m), No-load speed 1200rpm, Manual torque up to 88.5lbf-in (10.N·m)
- Electric power for quick tightening and Manual for final tightening.
- With High Brightness LED light.
- Built in USB Recharge Li-ion Battery (3.6V-800mAh).
- 6.35mm HEX shank.



Electric Output <b>3.5 lbf-in</b>	No-load Speed <b>1200 rpm</b>	Manual Torque <b>Up to 88.5 lbf-in</b>
--------------------------------------	----------------------------------	---

### Contents

- 220USBS1U×1pc • Impact Ball Torsion Bit (Φ2×90mm)×1pc
- USB Charging Cable (Micro USB Type B) (1m)×1pc

Model No.					Code
220USBS1U	⊕ 2	90*1	43	140*2	148515

\*1 Bit \*2 Tool Only

## e-ASSIST® Screwdriver <3 Adjustable Speeds Model>



- Electric output [10.6lbf-in, 14.2lbf-in, 17.7lbf-in], No-load speed [280rpm, 340rpm, 400rpm], Manual torque up to 88.5lbf-in
- Electric power for quick tightening and Manual for final tightening.
- With High Brightness LED light.
- Built in USB Recharge Li-ion Battery (3.6V-800mAh).
- Charging Port (USB type C)
- Attachable Anti-drop lanyard attachment hole
- 6.35mm HEX shank.



Electric Output <b>10.6 lbf-in</b>	No-load Speed <b>280 rpm</b>	Manual Torque <b>Up to 106.2 lbf-in</b>
<b>14.2 lbf-in</b>	<b>340 rpm</b>	
<b>17.7 lbf-in</b>	<b>400 rpm</b>	

### Contents

- 220USBP1U×1pc
- Impact Ball Torsion Bit (Φ2×90mm)×2pcs, (Φ3×90mm)×1pc, (Φ6×90mm)×1pc, (SQ2×90mm)×1pc
- USB Charging Cable (USB Type C) (1m)×1pc

Model No.				Code
220USBP5U	90*1	43	140*2	148530

\*1 Bit \*2 Tool Only

## Socket Adapter with Hex Bolster

- 220USB Socket Adapter, Spanner Holder (B Type)
- The hexagonal bolster (H10mm) enables use of a wrench for powerful tightening and loosening of hard screws.
- The SQ 1/4" socket head is convenient for various bolts and nuts.
- Press-fit type. 8 times more durable than fully machined sockets.
- Compatible with VESSEL e-ASSIST Screwdrivers (220USB series)
- Made in Japan



Model No.	Drive Size	Overall Length	Inner Ctn.	Code
USB45BSQ2S10	1/4"	58	10	487050

## VESSEL can offer wide ranges of screwdriver bits for e-ASSIST series



See page 41 for more details.

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

e-ASSIST®  
Screwdrivers

# VESSEL HAND TOOLS / SCREWDRIVERS

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

**Cr-V.**  
**steel**  
**Cr-V Mo**  
**steel**

## SHANK TYPES

Good precision and durability refined over decades in assembly lines. Chrome vanadium steel that improves the shank strength.

**Cr** (chromium): hardens the tip.

**V** (vanadium): makes the tip tough.

**MO** (molybdenum): improves strength, hardness, and even toughness.

**Bolt shank**, diameter of 8 mm or less  
With hexagonal bolster for spanner

**Standard shank**  
Popular shank diameter and length based on various standards

**Thin shank**, diameter of 4 mm  
Long slender shank to avoid interference even in a narrow area

**Long shank**  
Suitable for screw tightening in deep area

**Stubby shank**  
Short shank suitable for work in a confined area



**Magnetized Tip-End**  
The tip-end is strongly magnetized to capture screws for better work efficiency.




**JAWSFIT®**

**JAWSFIT®**  
Fine protrusions are added to the tip-end by special machining. These protrusions bite firmly into the screw head recess and prevents cam-out of the bit.

**Black point®**  
Black Oxide tips have high precision and are resistant to the effects of plating layer thickness.

**BITES INTO SCREW**



# JIS DRIVE+

FOR ALL SCREWS



## END CAP TYPES

### General type

Type in which a shank is held in the handle.

### Tang-Thru type

A shank is installed through the handle so that the screwdriver can be used for position adjustment or screw-hole correction by tapping the head with a hammer.

## GRIP TYPES

### Ergonomic

Designed to fit the palm of the hand ensuring comfortable screw tightening

### Non-slip

VESSEL®-developed non-slip surface for the WOOD COMPO series enables torque transmission and screwing even with oily hands.

### Cushion handle

Elastic elastomer grip offering large tightening force.

### Ball Grip

Transmits ample tightening force to screw with a comfortable grip that fits the palm.

### Wood handle

Made of natural wood using a 100+ year old traditional technique.

### Precision


Designed to transmit a minute force efficiently. Intended for precision work.

### Armor Grip

Ergonomic Soft Surface Grip with firm armor-like structure

### IMPACT & OUT™ / Impacta

For removing stuck, rusted and distorted screws. Unscrew stubborn and stripped screws with Hammer Impacting technology. Blade turns 12° counterclockwise when striking with a hammer.



### Hexagon bolster

Enables use of a spanner, etc. to retighten screws or loosen stuck screws.



e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder
















Precision Bits

# IMPACT & OUT™



Stripped Screws    Stuck Screws    Rusted Screws

Product Video

 <p><b>SCAN HERE TO LEARN MORE!</b></p>				
Item	<b>238HWB7PU</b>	<b>238HWB2PU</b>	<b>HZB10P01</b>	<b>B39K10P01</b>
Description	<b>Screwdriver &amp; 7PC. Bit Set</b>	<b>Screwdriver &amp; Screw Removal Kit</b>	<b>Screw Removing Bit ASSORTMENT</b>	<b>Striking Bit ASSORTMENT</b>
Package Includes	<ul style="list-style-type: none"> <li>• Screwdriver Grip</li> <li>• 6 Bits (Black / Impact Rated) Standard use &amp; Striking ⊕2 ⊕3 ⊖SL6 ⊖SL7 ⊙T25 ⊙T30</li> <li>• Screw removing bit For ⊕2</li> <li>• Pouch</li> </ul>	<ul style="list-style-type: none"> <li>• Screwdriver Grip</li> <li>• Screw Removing Pliers</li> <li>• Screw removing bit For ⊕2</li> <li>• Pouch</li> </ul>	<ul style="list-style-type: none"> <li>• 10 Screw removing bits For ⊕ ⊕1 ⊕2x2pcs ⊕3x2pcs For ⊙ ⊙H2 ⊙H2.5 ⊙H3 ⊙H4 ⊙H5</li> <li>• Bit Belt</li> </ul>	<ul style="list-style-type: none"> <li>• 10 Bits (Black / Impact Rated) Standard use &amp; Striking ⊕2x2pcs ⊕3x2pcs ⊙T25x2pcs ⊙T30x2pcs ⊖SL6 ⊖SL7</li> </ul>
Screwdriver Mechanism	<ul style="list-style-type: none"> <li>• End cap designed for hammer striking</li> <li>• Blade turns 12° counterclockwise when striking with a hammer</li> <li>• Hex bolster for applying more torque</li> </ul> 	-	-	
Bit Size	<b>4" Length (100mm) 1/4"</b>			
Bit Functions	<ul style="list-style-type: none"> <li>• 6 Bits (Black / Impact Rated) Standard use &amp; Striking</li> <li>• 1 Bit (White) For screw removal only usable with electric impact drivers</li> </ul>  	<ul style="list-style-type: none"> <li>• 1 Bit (White) For screw removal only usable with electric impact drivers</li> <li>• A pair of Pliers For Screw removal only</li> </ul>   	<ul style="list-style-type: none"> <li>• 10 Bits (White) For screw removal only usable with electric impact drivers</li> </ul>  	<ul style="list-style-type: none"> <li>• 10 Bits (Black / Impact Rated) Standard use &amp; Striking</li> </ul>  

Note: Cannot be used for removing high hardness screws (Drilling screws, Drywall screws, Stainless screw, and so on). Only bits included can be used for hammering.

## IMPACT & OUT™ Screwdriver & 7PC. Bit Set



- End Cap designed for hammer Striking
- Cam mechanism allows for 12-degree reverse rotation when striking
- Hex Bolster for Applying more torque
- Includes 6 assorted standard bits and 1 screw removal only bit (Φ2, Φ3, ΦSL6, SL7, TX25, TX30, and Φ2 screw removal only)
- 1 screw removal only bit has wedge shaped blades that bite into damaged screws
- Comes with storage pouch
- Made in Japan




Model No.	Set Contents	Code
238HWB7PU	Screwdriver Grip Screw removing Bit ⊕ 2x100, 6 Striking bits ⊕ 2,3, ⊖ SL6,SL7, ⚡ T25,T30	125255

## IMPACT & OUT™ Screw Removing Bit ASSORTMENT



- Impact & Out Screw Removing Bit ASSORTMENT
- Bits for Screw Removal only 8 Assortment Bits (Φ1, Φ2 x 2, Φ3 x 2, H2, H2.5, H3, H4, H5mm)
- The newly developed tip-end enables stuck screws to be removed.
- Wedge-Shaped Tip and Cam-Out prevention
- Can be used with Electric Impact Driver
- Made in Japan



Model No.	Set Contents
HZB10P01	Screw removing Bits ⊕ 1, 2(2), 3(2) ● H2, H2.5, H3, H4, H5

## IMPACT & OUT™ Screwdriver & Screw Removal Kit



- Impact & Out Screwdriver & Screw Removal Kit
- End Cap designed for hammer Striking
- Cam mechanism allows for 12-degree reverse rotation when striking
- Hex Bolster for Applying more torque
- Includes 1 screw removing Bit (Φ2) & A pair of Screw Removing Pliers
- The serrations on the tip catch screws (Plier)
- Even screws with thin heads such as truss screws can be firmly gripped (Plier)
- Comes with storage pouch
- Made in Japan



Model No.	Set Contents	Code
238HWB2PU	Screwdriver Grip Screw removing Bit ⊕ 2x100 Screw Removing Pliers	125254

## IMPACT & OUT™ Striking Bit ASSORTMENT



- Impact & Out Striking Bit ASSORTMENT
- Set Includes Φ2x2pc, Φ3x2pc, T25x2pc, T30x2pc, SL6, SL7 ( 4" Length)
- For Removal of a rusted or stuck screw with a hammer and for standard use
- Made in Japan



Model No.	Set Contents
B39K10P01	Striking Bits ⊕ 2(2), 3(2) ⊖ SL6, SL7 ⚡ T25(2), T30(2)

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# MEGADORA™ Screwdrivers



Product Video



BLACK POINT TIP



*Bites Into  
Screws  
and Reduces  
Cam-out*

CHROME VANADIUM STEEL SHANK



**FEATURING  
JAWSFIT**

KNURLED SHANK FOR QUICK TURNING



REDUCES CAM-OUT

CUSHIONED HEXAGONAL CROSS  
SECTION CORNERS



# MEGADORA™

## Reduce Cam-Out

Suitable for a variety of screws from machine screws to wood screws, and especially for car repairs as well as electric work, electronics assembly and general applications.



## MEGADORA™ Screwdriver

- Cross Point JAWSFIT tip that firmly grips screws
- Useful knurled blade for quick and slipless driving



Model No.						Code
900S5575	⊖ SL5.5	0.8	75(3")	30	175	125701
900S6100	SL6	0.9	100(4")	34	210	125702
900S6150	SL6	0.9	150(6")	34	260	125703
900S8150	SL8	1.1	150(6")	36	275	125704
900P175	⊕ 1 JAWSFIT.		75(3")	30	175	125705
900P2100	2 JAWSFIT.		100(4")	34	210	125706
900P2150	2 JAWSFIT.		150(6")	34	260	125707
900P3150	3 JAWSFIT.		150(6")	36	275	125708
903PZ175	⊕ PZ1		75(3")	30	175	267254
903PZ2100	PZ2		100(4")	34	210	267255
903PZ3150	PZ3		150(6")	36	275	267256

## MEGADORA™ Tang-Thru Screwdriver

- Cross Point JAWSFIT tip that firmly grips screws
- Tang-Thru shank with large steel cap
- With a hexagonal bolster for additional wrenching



Model No.							Code
930S5575	⊖ SL5.5	0.8	75(3")	30	175	8	125711
930S6100	SL6	0.9	100(4")	34	213	10	125712
930S6150	SL6	0.9	150(6")	34	263	10	125713
930S8150	SL8	1.1	150(6")	36	278	12	125714
930P175	⊕ 1 JAWSFIT.		75(3")	30	176	8	125715
930P2100	2 JAWSFIT.		100(4")	34	213	10	125716
930P2150	2 JAWSFIT.		150(6")	34	263	10	125717
930P3150	3 JAWSFIT.		150(6")	36	278	12	125718

## MEGADORA™ Thin Shank Screwdriver

- Precision type with 4 mm or smaller blade diameter
- High precision black point tip, which is unaffected by the plating thickness



Model No.						Code
910S375	⊖ SL3	0.4	75(3")	21	153	125746
910S3100	SL3	0.4	100(4")	21	178	125747
910S475	SL4	0.5	75(3")	21	153	125748
910S4100	SL4	0.5	100(4")	21	178	125749
910S4150	SL4	0.5	150(6")	21	228	125750
910S4200	SL4	0.5	200(8")	21	278	125751
910P075	⊕ 0		75(3")	21	153	125742
910P0100	0		100(4")	21	178	125743
910P175	1		75(3")	21	153	125744
910P1100	1		100(4")	21	178	125745

## MEGADORA™ Stubby Screwdriver

- Cross Point JAWSFIT tip that firmly grips screws
- 1"(25mm)-long blade, ideal for works in a narrow place



Model No.						Code
920S625	⊖ SL6	0.9	25(1")	36	75	125752
920P125	⊕ 1 JAWSFIT.		25(1")	36	75	125753
920P225	2 JAWSFIT.		25(1")	36	75	125754

\*Bulk

## MEGADORA™ Screwdriver Extra Long Type

- Cross Points JAWSFIT tip that firmly grips screws
- Ideal for work in deep places
- Useful for adjustment of automotive headlight and hose band removal
- Knurled guide sleeve to minimize run-out due to its long blade and ensure stable operation



Model No.						Code
900S6400	⊖ SL6	0.9	400(16")	34	510	125709
900P2400	⊕ 2 JAWSFIT.		400(16")	34	510	125710

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# MEGADORA™ Screwdrivers

## IMPACT BALL™



72-tooth gear ratchet for comfortable operation with fine turning.



Non slip ergonomic handle by triple structure injection molding



Fits well in the palm of the hand

## MEGADORA™ Interchangeable Ratchet Screwdriver 5PC. Bit Set

- Impact rated Bits :Using New Alloy Steel "VoHA" (VESSEL Outstanding High-Performance Alloy) Highest Hardness 62 HRC
- Impact rated Bits :High Durability via shock absorption at Ball Torsion part.
- Comes with storage pouch



Model No.	Set Contents
900RT5PU	Screwdriver Grip, Bits $\oplus$ 1,2,3 / $\ominus$ SL4,SL6, Storage pouch

## MEGADORA™ Insulated Screwdriver

- For protection against electric shock



Model No.	Bit	Length (mm)	Length (in)	Shank Dia (mm)	Code
960S575	$\ominus$ SL5	0.8	75(3")	30	125824
960S6100	SL6	1	100(4")	34	125825
960S8150	SL8	1.2	150(6")	36	125826
960P175	$\oplus$ 1		75(3")	30	125821
960P2100	2		100(4")	34	125822
960P3150	3		150(6")	36	125823
Model No.	Bit	Length (mm)	Length (in)	Shank Dia (mm)	Code
960PS2100	$\oplus$ PS2		100(4")	34	125827
960PS3150	PS3		150(6")	36	125828

## MEGADORA™ Clip Remover

- Applicable for both large and small clips used in automobiles
- Smooth surface finish chrome plating to avoid making scratches on a painted metal parts
- Easy removing of door trim and wire binding clips by its optimum leverage angle in a narrow space



Model No.	Shank Dia (mm)	Length (mm)	Length (in)	Shank Dia (mm)	Code
970CR6110	6	110(4 11/32")	30	215	121592
970CR712120	12*7	120(4 3/4")	34	230	122504

## MEGADORA™ Chisel-Type Screwdriver




- Using special high quality steel for cold chisel use; 58HRC and pursuing abrasion resistance and cutting quality
- Reducing gripping fatigue by shock-absorbing Elastomer resin
- Less deformative large steel cap with carburizing and quenching



Model No.	Shank Dia (mm)	Length (mm)	Length (in)	Shank Dia (mm)	Code
970C7100	7(9/32")	1.5	100(4")	34	125722
970C95120	9.5(3/8")	1.7	120(4 3/4")	36	125732

## MEGADORA™ Hose Remover



Model No.	Shank Dia (mm)	Length (mm)	Length (in)	Shank Dia (mm)	Code
970HRS130		130(5 1/8")	34	240	121593
970HRR89		89(3 1/2")	34	199	121594
970HRL89		89(3 1/2")	34	199	121595

# BITES INTO SCREW!

## MEGA DORA IMPACTA™

Tang-Through shank and steel cap with cam rotation mechanism.



Product Video



12°

For removing stuck, rusted, or distorted screws.



Stuck screw Rusted screw Distorted screw

### MEGADORA IMPACTA™ Impact Driven Screwdriver

- Tang-Through shank and steel cap with cam rotation mechanism
- High precision black point tip



Model No.	+			(mm)	Code
980P2100	+	2	100(4")	34	213 125941
980P2150		2	150(6")	34	263 125942
980P3150		3	150(6")	36	278 125943

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# BALL GRIP™ Screwdrivers



## LONG LIFE DESIGN



Long Life Design products support the changing times and society.



Product Video

Released in 1984 by inheriting the design of the "screwdriver for electrical work" of the 1930's. This enables turning while pressing down, reducing fatigue by 20% compared to ordinary screwdrivers. In recognition of its evolution in response to changes in the environment and market, the product received the Long Life Award in 2021.




-  **1984 No.220**  
Ball-Grip Screwdriver
-  **1990 No.225**  
Ball-Grip Screwdriver (With covered shank)
-  **1994 No.230**  
Ball-Grip Tang-Thru Screwdriver
-  **2000 No.220F**  
Free-Turning Ball Grip Screwdriver
-  **2012 No.220W**  
Ball Grip (Bit-replaceable grip)
-  **2014 No.250**  
Tang-Thru Screwdriver
-  **2015 No.2200**  
Ball Ratchet Screwdriver
-  **2017 No.230**  
Ball Grip (Bit-replaceable Tang-Thru grip)
-  **2018 No.220USB-1**  
e-ASSIST Screwdriver
-  **2020 No.200**  
Ball-Grip Insulated Screwdriver

## POINT

### Reduce your fatigue by 20%

BALL GRIP™ Screwdriver can reduce fatigue by 20% compared to straight grip screwdrivers based on a musculo-skeletal system analysis. With stable pressing force, you can work at different angles including upward-facing work.



## BALL GRIP™ Screwdriver



- Our original ergonomic BALL GRIP™ handle enables both quick and power driving, and reduces fatigue compared to a traditional cylindrical handle.
- Transmits sufficient tightening force to screw
- Cushion grip color-coded by ⊕ ⊖
- High precision black point tip



Model No.	⊖	⊕	⊖	⊕	(mm)	Code
220S5575	SL5.5	0.8	75(3")	32	156	125351
220S55100	SL5.5	0.8	100(4")	32	181	125361
220S55150	SL5.5	0.8	150(6")	32	231	125362
220S6100	SL6	0.9	100(4")	41	200	125352
220S6150	SL6	0.9	150(6")	41	250	125353
220S6200	SL6	0.9	200(8")	41	300	125354
220S6300	SL6	0.9	300(12")	41	400	125363
220S8150	SL8	1.1	150(6")	41	250	125376
220P175	⊕ 1		75(3")	32	156	125355
220P1100	1		100(4")	32	181	125371
220P1150	1		150(6")	32	231	125372
220P275	2		75(3")	32	156	125375
220P2100	2		100(4")	41	200	125356
220P2150	2		150(6")	41	250	125357
220P2200	2		200(8")	41	300	125358
220P2300	2		300(12")	41	400	125359
220P3150	3		150(6")	41	250	125374

## BALL GRIP™ Screwdriver



- Our original ergonomic BALL GRIP™ handle enables both quick and power driving, and reduces fatigue compared to a traditional cylindrical handle.
- Transmits sufficient tightening force to screw



Model No.	⊖	⊕	⊖	⊕	(mm)
220SQ1100	□ SQ1		100(4")	32	181
220SQ2150	SQ2		150(6")	32	250
220SQ3150	SQ3		150(6")	41	250
2203SQ	SQ1x100, SQ2x150, SQ3x150				

## BALL GRIP™ Tang-Thru Screwdriver

- Large nut for easy hammering • Transmits sufficient tightening force to screw
- Cushion grip color-coded by ⊕ ⊖
- High precision black point tip



Model No.	⊖	⊕	⊖	⊕	(mm)	Code
230S5575	SL5.5	0.8	75(3")	32	156	125311
230S6100	SL6	0.9	100(4")	41	200	125314
230S6150	SL6	0.9	150(6")	41	250	125315
230P175	⊕ 1		75(3")	32	156	125321
230P2100	2		100(4")	41	200	125324
230P2150	2		150(6")	41	250	125325

## BALL GRIP™ Tang-Thru Screwdriver w/Ceramic Ball



- Incorporates a ceramic ball that prevents electricity from being conducted
- Uses zirconia ceramic that is highest strength, stiffness, and abrasion resistance among ceramics
- The large steel cap for easy hammering
- High precision black point tip




Model No.	⊖	⊕	⊖	⊕	(mm)	Code
250S6100	SL6	0.9	100(4")	41	200	112105
250S6150	SL6	0.9	150(6")	41	250	112106
250S8150	SL8	1.1	150(6")	41	250	112109
250P2100	⊕ 2		100(4")	41	200	112107
250P2150	2		150(6")	41	250	112108
250P3150	3		150(6")	41	400	112110

## POINT

### Ceramic ball blocks electricity [No.250]

It can be used for various electrical and mechanical equipment as a screwdriver that can be "hit with a hammer and used for electricity-related work."



e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# BALL GRIP™ Screwdrivers

IMPACT & OUT™

## BALL GRIP™ Insulated Screwdriver



MEGADORA™  
Screwdrivers

- High precision black point tip. (black oxide finish)
- Easy identification of tip type by touching the end cap dent.

BALL GRIP™  
Screwdrivers



Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Model No.	Tip	Length (mm)	Code
200S575	⊖ SL5	0.8 75(3")	32 150 125841
200S6100	⊖ SL6	1.0 100(4")	41 189 125842
200S6150	⊖ SL6	1.0 150(6")	41 239 125843
200P175	⊕ 1	75(3")	32 150 125844
200P2100	⊕ 2	100(4")	41 189 125845
200P2150	⊕ 2	150(6")	41 239 125846
200P3150	⊕ 3	150(6")	41 239 125847

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

## BALL RATCHET™ Screwdriver

- 36-tooth gear ratchet for comfortable operation with fine tuning.
- Blade cover to prevent electrical short circuit.
- Using special alloy steel used for power tool bit, Fully hardened and Interchangeable blade.
- Reduced or slim blade for convenience when using in a terminal block.



Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools



IMPACT BALL™

Model No.	Tip	Length (mm)	Code
2200S6100	⊖ SL6	0.8 100(4")	41 200 125395
2200S6150	⊖ SL6	0.8 150(6")	41 250 125396
2200P2100	⊕ 2	100(4")	41 200 125345
2200P2150	⊕ 2	150(6")	41 250 125346
2200P3150	⊕ 3	150(6")	41 250 125347

NECK TORSION™

DRY WALLER™

Counter Display

## BALL RATCHET™ Screwdriver Replacement Blade

- Using special alloy steel used for power tool bit, fully hardened
- Interchangeable when pulling out the ball part of the No.2200

Accessories

For Branding



Insert Bits

Model No.	Tip	Length (mm)	Code
2200BS6100	⊖ SL6	0.8 100(4")	158 125397
2200BS6150	⊖ SL6	0.8 150(6")	208 125398
2200BP2100	⊕ 2	100(4")	158 125348
2200BP2150	⊕ 2	150(6")	208 125349
2200BP3150	⊕ 3	150(6")	208 125350

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

### POINT

### Smooth Operation [No.2200 Series]

This functionally enhanced BALL GRIP™ Screwdriver enables screw driving by simple repeated wrist or finger movements.



## BALL GRIP™ Screwdriver w/ Covered Shank



- Resin-covered shank. It prevents electrical short circuit.
- Transmits ample tightening force to screw.
- Cushion grip is marked ⊕⊖ for quick identification.



Model No.	Tip	Length (mm)	a	b	c	Code
225S6100	⊖ SL6	0.9 100(4")	200	14	8 10	125382
225S6150	⊖ SL6	0.9 150(6")	250	14	8 10	125383
225P2100	⊕ 2	100(4")	200	14	8 10	125389
225P2150	⊕ 2	150(6")	250	14	8 10	125390

## BALL GRIP™ Interchangeable Ratchet Screwdriver


- 36-tooth gear ratchet for comfortable operation with fine tuning.
- Bits are replaceable.
- Comes with one bit piece.



Model No.	Tip	Length (mm)	Code
2200MBH120	⊕ 2x30	6.42 117 41 217	152718


## BALL GRIP™ Interchangeable Ratchet Screwdriver 10PC. Bit Set

- 36-tooth gear ratchet for comfortable operation with fine tuning.
- Bits are replaceable.
- With 10pc of bits and bit holding belt.



Model No.	Tip	Length (mm)	Code
2200MBH120K01	⊕ 1x30, 2x30, 3x30 ⊖ SL4x30, SL6x30 ⊕ T15x30, T20x30, T25x30 ⊖ SQ1x30, SQ2x30	6.42 117 41 217	152719

### Bits hold by a Powerful Magnet



### Detachable



### Stubby



### 36-tooth Gear



## BALL GRIP™ Interchangeable grip

- Elastic grip assures reliable tightening.
- Compatibility with a 1/4"(6.35mm) hex drive bit enables use as a familiar ball grip screwdriver.

JPN Package



Model No.	Set Contents	Code
220W	BALL GRIP™ Interchangeable Drive Handle	Carded 125344

## BALL GRIP™ Interchangeable Tang-Thru grip

- Blade interchangeable tang-thru grip. 1/4"(6.35mm)
- 1"(25.4mm) large nut incorporated to efficiently transmit hammering power

JPN Package



Model No.	Set Contents	Code
230W	BALL GRIP™ Interchangeable Tang-Thru Drive Handle	Carded 125326

## BALL GRIP™ Interchangeable Screwdriver

- Slotted tip used for quick connection at terminals such as outlets and frequently-used  $\oplus 2$  tip are combined into one bit.



JPN Package



Model No.	Set Contents	Code
220W62	BALL GRIP™ Interchangeable Drive Handle $\ominus$ SL6 / $\oplus$ 2 x110	Carded 233071

## BALL GRIP™ Interchangeable Tang-Thru Screwdriver

- Blade interchangeable tang-thru grip. (A/F6.35mm)
- 1"(25.4mm) large nut incorporated to efficiently transmit hammering power



JPN Package



Model No.	Set Contents	Code
230W2	BALL GRIP™ Interchangeable Tang-Thru Drive Handle $\oplus$ 2x140	Carded 125327

## BALL GRIP™ Interchangeable Screwdriver

- Convenient set with  $\oplus 1$ ,  $\oplus 3$ , - tip used for quick connection at a terminal such as an outlet, frequently-used  $\oplus 2$  tip, and PZ2 and PZ3 tips widely used for European furniture, appliances, sports equipment, and more



JPN Package



Model No.	Set Contents	Code
220W3	BALL GRIP™ Interchangeable Drive Handle $\oplus 1$ / $\oplus 3$ x110, $\ominus$ SL6 / $\oplus 2$ x110 $\oplus$ PZ2/PZ3 x110	Carded 233072

## BALL GRIP™ Interchangeable Tang-Thru Screwdriver

- Blade interchangeable tang-thru grip. (A/F6.35mm)
- 1"(25.4mm) large nut incorporated to efficiently transmit hammering power



JPN Package



Model No.	Set Contents	Code
230W3	BALL GRIP™ Interchangeable Tang-Thru Drive Handle $\oplus 3$ x140	Carded 125328

## BALL GRIP™ Combi Plus Screwdriver

- Three sizes are combined into one bit. Can be used for most of Cross Point screws commonly used.



JPN Package



Model No.	Set Contents	Code
220W123	BALL GRIP™ Interchangeable Drive Handle $\oplus 1 \cdot \oplus 3$ / $\oplus 2$ x110	Carded 233073

## BALL GRIP™ Interchangeable Tang-Thru Screwdriver

- Blade interchangeable tang-thru grip. (A/F6.35mm)
- 1"(25.4mm) large nut incorporated to efficiently transmit hammering power



JPN Package



Model No.	Set Contents	Code
230W6	BALL GRIP™ Interchangeable Tang-Thru Drive Handle $\ominus$ SL6x140	Carded 125329

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# Cushion Grip Screwdrivers

**GEL GRIP** is ideal for a heavy load on the palm.



Highly elastic cushion grip.  
Fits the palm of the hand. No slipping.  
Transmits high torque to the tip.



Product Video




A D V A N C E D  
**GEL-FUNCTION**  
T E C H N O L O G Y

VESSEL Cushion Grip Screwdrivers fit not only screw heads but also your hand.  
This series assure the efficient torque transmission.

※The above illustration is for reference only.

## SUPER CUSHION™ Screwdriver

- "Super Cushion" grip fits your hand perfectly
- Anti-corrosion black chrome plated blade



Model No.						Code
700S5575	⊖ SL5.5	0.8	75(3")	29	182	125211
700S6100	SL6	0.9	100(4")	32	215	125212
700S6150	SL6	0.9	150(6")	32	265	125213
700S8150	SL8	1.1	150(6")	34	275	125214
700P175	⊕ 1		75(3")	29	182	125215
700P2100	2		100(4")	32	215	125216
700P2150	2		150(6")	32	265	125217
700P3150	3		150(6")	34	275	125218

## Cushion Grip Stubby Screwdriver

- Anti-corrosion black chrome plated blade
- Ideal for working in a narrow place



Model No.						Code
720S615	⊖ SL6	0.9	15(19/32")	35	68	125221
720P115	⊕ 1		15(19/32")	35	68	125222
720P215	2		15(19/32")	35	68	125223

\*Bulk

## SUPER CUSHION™ Tang-Thru Screwdriver

- "Super Cushion" grip fits your hand perfectly
- Star-shaped steel cap for hammering
- Anti-corrosion black chrome plated blade



Model No.						Code
730S5575	⊖ SL5.5	0.8	75(3")	29	182	125231
730S6100	SL6	0.9	100(4")	32	215	125232
730S6150	SL6	0.9	150(6")	32	265	125233
730S8150	SL8	1.1	150(6")	34	276	125234
730P175	⊕ 1		75(3")	29	182	125235
730P2100	2		100(4")	32	215	125236
730P2150	2		150(6")	32	265	125237
730P3150	3		150(6")	34	276	125238

## Cushion Grip TORX Screwdriver

- Optimal for fastening screws in precision fields
- Non-electrolytic plating, keeping the precise tip quality
- Cushion grip fits comfortably in hand
- Also good for tamper-proof TORX screws (except T5 and T6)



Model No.						Code
640T540	⊛ T5	1.42	40(1 37/64")	20.5	126	123561
640T640	T6	1.69	40(1 37/64")	20.5	126	123562
640T7H40	⊛ T7H	1.97	40(1 37/64")	20.5	126	123563
640T8H40	T8H	2.30	40(1 37/64")	20.5	126	123564
640T9H40	T9H	2.48	40(1 37/64")	20.5	126	123565

TORX® is a registered trademark of Acument™ Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.

## Cushion Grip Interchangeable Stubby Screwdriver

- Stubby type suited for working in cramped places
- Slotted tip used for quick connection at terminals such as outlets and frequently-used ⊕2 are combined into one bit

JPN Package



Model No.	Set Contents	Code
270BW62	Bit Interchangeable Cushion Stubby Grip ⊖6/⊕2x110mm	Carded 233075

## Cushion Grip Interchangeable Stubby Screwdriver

- Stubby type suited for working in cramped places
- Three sizes are combined into one bit. Can be used for most of cross-pointed screws commonly used


JPN Package



Model No.	Set Contents	Code
270BW123	Bit Interchangeable Cushion Stubby Grip ⊕1 • ⊕3/⊕2x45mm	Carded 233076

## "NEON" Screwdriver

- Glow-in-the-dark type
- High precision black point tip



Model No.						Code
265S6100	⊖ SL6	0.9	100(4")	40	185	125561
265S6150	SL6	0.9	150(6")	40	235	125562
265P2100	⊕ 2		100(4")	40	185	125563
265P2150	2		150(6")	40	235	125564

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# WOOD-COMPO™ Screwdrivers

## **NON-SLIP** IN WET OR OILY CONDITIONS



**70% Wood - 30% Plastic  
Composite Grip**

Maintenance of cars, motorbikes and machines always involves oils. Wood-compo screwdriver's coarse wood powder on the grip surface stops the oil flow against the tightening torque, producing an outstanding non-slip grip effect.



Product Video




### Grip surface enlarged.

The grip section is made of "wood resin," a mixture of wood powder and plastic, by injection molding using our proprietary technology.

Because it contains a large amount of wood powder, you can feel the texture of the natural wood and its grip in your hand.

Comparison of torque-down rates : standard and with oily grips



Tightening force if the grip is with oil Usual tightening force

※Image is for illustration purposes.

## WOOD-COMPO™ Screwdriver

- Extraordinary non-slip grip; Secure working efficiency even with oily hands
- Wood-composite material, reproducing the natural material texture
- Anti-corrosion black chrome plated blade



Magnetic



Model No.							
300S5575	⊖	SL5.5	0.8	75(3")	30	182	120021
300S6100		SL6	0.9	100(4")	32	215	120022
300S6150		SL6	0.9	150(6")	32	265	120027
300S8150		SL8	1.1	150(6")	35	275	120023
300P175	⊕	1		75(3")	30	182	120024
300P2100		2		100(4")	32	215	120025
300P2150		2		150(6")	32	265	120029
300P3150		3		150(6")	35	275	120026

## WOOD-COMPO™ Screwdriver (Stubby Type)

- Stubby type, which is convenient for tightening screws in cramped spaces
- Wood-composite resin, reproducing the natural material texture
- Rust-resistant black chrome plating shank



Magnetic



Model No.							
320S615	⊖	SL6	0.9	15(19/32")	35	68	120035
320P215	⊕	2		15(19/32")	35	68	120037

## GenuineWood Handle Tang-Thru Screwdriver

- Wooden handle and Tang-Thru shank with thick end cap
- Large and long grip that is comfortable to hold
- Black point tip



Magnetic



Model No.							
100S5575	⊖	SL5.5	0.8	75(3")	27	182	111051
100S6100		SL6	0.9	100(4")	30.5	223	111052
100S6300		SL6	0.9	300(12")	30.5	423	111061
100S8150		SL8	1.1	150(6")	34	294	111053
100P175	⊕	1		75(3")	27	182	111054
100P2100		2		100(4")	30.5	223	111055
100P2300		2		300(12")	30.5	423	111066
100P3150		3		150(6")	34	294	111056

## POINT

### Ultimate Non-Slip Screwdriver even with oily hands

Uses biomass plastic which contains 70% wood powder. This compound material forms the

base for our wood-compo screwdrivers, a new wood-handled product type with the texture of wood and excellent strength.

Our drivers have also been proven to be "non-slip" even in oily hands

This feature is most applicable to work that involves oil such as car maintenance and iron work.



Wood powder

Pellets

## WOOD-COMPO™ Tang-Thru Screwdriver

- Extraordinary non-slip grip; Secure working efficiency even with oily hands
- Star-shaped steel cap for hammering
- Anti-corrosion black chrome plated blade



Magnetic




Model No.							
330S5575	⊖	SL5.5	0.8	75(3")	30	183	120041
330S6100		SL6	0.9	100(4")	32	217	120042
330S6150		SL6	0.9	150(6")	32	267	120043
330S8150		SL8	1.1	150(6")	35	277	120044
330P175	⊕	1		75(3")	30	183	120045
330P2100		2		100(4")	32	217	120046
330P2150		2		150(6")	32	267	120047
330P3150		3		150(6")	35	277	120048

## POINT

VESSEL created the prototype of the "Tang-thru screwdriver," in which the shaft penetrates to the back of the grip with a large nut.

VESSEL's commitment to the tang-thru screwdrivers can be seen in its many nut designs. Thick type, star-shaped, mark-punched... our ideas and techniques are incorporated into even a simple nut.



e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# WOOD-COMPO™ Ratchet

\* Available stock is limited. As this item is now discontinued, we can only sell our remaining inventory and will not be selling more once we have run out.


## Key for Improved Working Efficiency

### Swivel Socket Wrench

Suitable for tightening in narrow and deep spaces



Swivel head enables quick driving as a screwdriver when in the vertical position



### Ultra small and High durable Head

High durability and less gear skipping because the wedge-shaped gears firmly engage the gears.



### WOOD-COMPO™ Swivel Socket Wrench Set

1/4"sq. (6.35mm) 21pcs.



Model No. / Code	Set Contents
HRW2004MSW	Wood-compo swivel ratchet handle 1/4"sq. (6.35mm)
162102	Extension bar Overall length 55mm 1/4"sq. (6.35mm)
	Extension bar Overall length 150mm 1/4"sq. (6.35mm)
	Quick spinner 1/4"sq. (6.35mm)
	Hex key wrench: H2.5, 3, 4, 5, 6, 8mm
	1/4"sockets: H5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm

### WOOD-COMPO™ Ratchet Handle

- High durability and less gear skipping by firmly engaging wedge-shaped gears

1/4"sq. (6.35mm)



Model No.	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	(mm)	Code
HRH2W	6.35(1/4")	20	20	30	145	162004	

3/8"sq. (9.5mm)



Model No.	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	(mm)	Code
HRH3W	9.5(3/8")	25	27	30	180	162005	

### WOOD-COMPO™ Swivel Ratchet Handle

- High durability and less gear skipping by firmly engaging wedge-shaped gears

1/4"sq. (6.35mm)



Model No.	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	(mm)	Code
HRH2SW	6.35(1/4")	32	26.4	19.5	169	162104	

3/8"sq. (9.5mm)



Model No.	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	(mm)	Code
HRH3SW	9.5(3/8")	32	29.5	19.5	169	162105	

# Precision Screwdrivers

## Micro Screwdriver

- Smooth rotating end cap for quick turning
- High precision black point tip




Model No.						Code
9900ES1850	⊖ SL1.8	0.25	50(2")	10	145	125621
9900ES2575	SL2.5	0.35	75(3")	10	170	125622
9900ES3100	SL3	0.45	100(4")	10	195	125623
9900ES3150	SL3	0.45	150(6")	10	245	125624
9900EP0075	⊕ 00		75(3")	10	170	125625
9900EP0100	0		100(4")	10	195	125626
9900EP0150	0		150(6")	10	245	125627

## Micro Screwdriver 3PC. Set

- 2 types of set recommended for work in the precision field
- Sets with frequently used sizes
- For adjustment and repair of precision devices , electric devices, glasses, watches, and more

JPN Package



Model No.	Set Contents	Code
9902E	Micro Screwdriver ⊖ SL1.8x50 ⊕ 00x75, 0x100	125636
9903E	Micro Screwdriver ⊖ SL1.8x50, SL2.5x75 ⊕ 00x75	125637

## Interchangeable precision Screwdriver 36PC. Bit Set

- Aluminum Alloy Grip with rotating head cap
- The storage case slides open and the lid can click into place to make a stand



Model No.	Set Contents
9836U	Aluminum handle ⊕ 000, 00x2, 0x2, 1, 2 ⊖ SL1.5x2, SL2, SL3, SL4 ● H0.89, 1.5, 2 ⬠ T2, T3, T4, T5H, 6H, 7H, 8H, 9H, 10H, 15H ⬠ 1IPR, 4IPR, ⊕ 0.6, 1, 2, 2.5, ⊙ 2, 2.6 ▲ 2.3, ● 0.8, Stand type case

## Precision Ceramic Adjuster

- Uses a zirconia ceramics tip, non-inductive magnetic substance
- Optimal for coil and trimmer adjustments
- For adjustment of electronic parts, such as audio instruments, computers, telecommunication devices, electronics components, and electric components

JPN Package



Model No.						Code
9000ES0930	⊖ SL0.9	0.4	30(1 3/64")	10	125	125641
9000ES1330	SL1.3	0.4	30(1 3/64")	10	125	125642
9000ES1830	SL1.8	0.4	30(1 3/64")	10	125	125643
9000ES2630	SL2.6	0.4	30(1 3/64")	10	125	125644
9000ES3415	SL3.4	0.5	30(1 3/64")	10	125	125645
9000EP030	⊕ 0		30(1 3/64")	10	125	125646
9000EP1730	Width 1.7(1/16")		30(1 3/64")	10	125	125647

## Micro Screwdriver 5PC. Set

- For adjustment and repair of precision devices , electric devices, glasses, watches, and more
- Smooth rotating end cap for quick turning
- High precision black point tip
- Sets with frequently used sizes



99005PHPBU 99005PFPBU 99005TXPBU 99005HXPBU

Model No.	Set Contents
99005PHPBU	Micro Screwdriver ⊕ 0000x50, 000x50, 00x75, 0x100 1x100
99005PFPBU	Micro Screwdriver ⊖ SL2x50, SL3x100 ⊕ 00x75, 0x100 1x100
99005TXPBU	Micro Screwdriver ⬠ T5x50, T6x50 ⬠ T7Hx50, T8Hx50, T10Hx50
99005HXPBU	Micro Screwdriver ● H0.89x50, H1.27x50, H1.5x50, H2.0x50, H2.5x50

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# 2WAY Series


1/4  
inch

2WAY

1/4  
inch

SOCKET(TILT)

BIT



Product Video


## SLH21U

2WAY-Speed L-Handle, 11PC. Set



## 400PD21U

2 Way Power Driver 11PC. Set



### 2 Way-Speed L-Handle, 11PC. Set

- Dual-use drive for both socket and bit. Move the sleeve forward to use with a bit; backward to use with a socket.
- The tilting drive (for socket) and the rotating grip enable quick and light turning.
- Use the stubby shank side for final tightening.



Model No.	Set Contents	Code
SLH21U	Speed L-Handle (1/4"SQ / 1/4"Hex) Bits ⊕1,2,3 ⊖SL4,SL6 ×25.4mm 1/4"Sockets: ○H8, 10, 12, 13, 14×25.4mm	251702

### 2Way Power Driver, 11PC. Set

- Dual-use drive for both socket and bit. Move the sleeve forward to use with a bit; backward to use with a socket.
- The standard shape of screwdriver can be transformed to the L-shaped screwdriver that enables more powerful work for re-tightening screws and loosening stuck screws.



Model No.	Set Contents	Code
400PD21U	Power Screwdriver (1/4"SQ / 1/4"Hex) Bits ⊕1,2,3 ⊖SL4,SL6 ×25.4mm 1/4"Sockets: ○H8, 10, 12, 13, 14×25.4mm	251701

# Functional Screwdrivers

## Ergonomic Soft Surface Grip

### ARMORGRIP™

Fully Hardened Cr-V Alloy for Superior Wear-resistance & Durability by Advanced Heat Treatment Technology

Octagonal Handle Design for secure grip and sufficient Torque Output

Finger Indent for Extra Torque Output

Anti-corrosion Electroless nickel plating

Non-Slip wavy concave design inspired by grace & toughness of armor plating

Outer Material: Comfortable Cushion Material (TPE)

Core Material: Durable Hard Material (PP)

**ARMORGRIP** Technology  
Ergonomic Soft Surface Grip with firm armor-like structure

## ARMOR GRIP™ Socket Driver

- Fully Hardened Cr-V Alloy for Superior Wear-resistance & Durability.
- Anti-corrosion Fully Nickel Plated Blade (Magnetized Tip).
- Ergonomic Soft Surface Grip with firm armor-like structure (ARMOR GRIP Technology).

1/4SQ

Model No.	Drive	Length (mm)	Bit Length (mm)	Total Length (mm)
550A2U	1/4"	125	8	250

## ARMOR GRIP™ T-handle Socket Driver

- Fully Hardened Cr-V Alloy for Superior Wear-resistance & Durability.
- Anti-corrosion Fully Nickel Plated Blade (Magnetized Tip).
- Ergonomic Soft Surface Grip with firm armor-like structure (ARMOR GRIP Technology).

1/4SQ

Model No.	Drive	Length (mm)	Bit Length (mm)	Total Length (mm)
460A2U	1/4"	130	6.35	170.5

## Flat-shaped Ratchet Screwdriver (Straight type)

- 18mm thin head ratchet screwdriver
- Magnetized bits (Overall length: 18mm)
- Can be used in tight places
- 2pcs of bit can be stored in the handle with a hole for hanging
- High-precision ratchet gear mechanism enables ideal fastening



Model No.	Set Contents	Code
TX76U	Flat-shaped Ratchet Screwdriver (Straight type) Bits $\oplus$ 1, 2, 3 $\ominus$ SL4, SL6 $\bullet$ H3, H4, H5 $\star$ T20, T25, T30 $\times$ 18mm Bit holder	Carded 251237

## Flat-shaped Ratchet Screwdriver (Angle Type)

- 18mm thin head ratchet screwdriver.
- Magnetized bits (Overall length: 18mm)
- Can be used in tight places.
- 2pcs of bit can be stored in the handle with a hole for hanging
- High-precision ratchet gear mechanism enables ideal fastening



Model No.	Set Contents	Code
TX79U	Flat-shaped Ratchet Screwdriver(Angle Type) Bits $\oplus$ 1, 2, 3 $\ominus$ SL4, SL6 $\bullet$ H3, H4, H5 $\star$ T20, T25, T30 $\times$ 18mm, Bit holder	Carded 251238

## Flat-shaped Ratchet Screwdriver Counter Display



Displayer Dimensions:  
W11.5"(29cm) $\times$ D8.5"(21.5cm) $\times$ H3"(7.5cm)

No.	Model No.	Description
1	TX76U	10Pack
2	TX79U	10Pack

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# Ratchet Screwdriver Set

IMPACT & OUT™

## Ratcheting Screwdriver 4PC. Bit Set




MEGADORA™  
Screwdrivers

- Smooth click feeling enabled by rotating angle of 5 deg. and 72-tooth gear. High strength accomplished by 2 nails supporting the ratchet gear. It can be used for final tightening work.

BALL GRIP™  
Screwdrivers

- The handle is made out of oil-resistant cellulose acetate resin.
- Easy to carry around with cassette type bit storage inside the handle.
- Magnetic bits can be replaced with one-touch.
- Bit insertion part 1/4"(6.35mm)

Cushion Grip  
Screwdrivers



WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Model No.	Set Contents	Code
TD6804MGU	Ratcheting Screwdriver Bits: $\oplus$ 1,2,3 $\ominus$ SL6x1" (25.4mm)	Carded 247022

Functional  
Screwdrivers

Impact Drivers

## Ratcheting Screwdriver 8PC. Bit Set



Screwdriver  
Sets

- Smooth click feeling enabled by rotating angle of 5 deg. and 72-tooth gear. High strength accomplished by 2 nails supporting the ratchet gear. It can be used for final tightening work.
- The handle is made out of oil-resistant cellulose acetate resin.
- Easy to carry around with cassette type bit storage inside the handle.
- Stores 8 types of bits including HEX bit.
- Magnetic bits can be replaced with one-touch.
- Bit insertion part 1/4"(6.35mm).

"L-KEY"  
Wrenches



IMPACT BALL™

NECK TORSION™

Model No.	Set Contents	Code
TD6808MGU	Ratcheting Screwdriver Bits: $\oplus$ 1,2,3 $\ominus$ SL6 $\bullet$ H2.5, H3, H4, H5x1" (25.4mm)	Carded 247023

DRY WALLER™

Counter Display

Accessories

## Ratcheting Screwdriver 16PC. Bit Set




For Branding

- Smooth click feeling enabled by rotating angle of 5 deg. and 72-tooth gear. High strength accomplished by 2 nails supporting the ratchet gear. It can be used for final tightening work.
- The handle is made out of oil-resistant cellulose acetate resin.
- Easy to carry around with cassette type bit storage inside the handle.
- 16 types of bits to adapt to various types of work.
- Magnetic bits can be replaced with one-touch.
- Bit insertion part 1/4"(6.35mm).

Insert Bits

Power Bits



Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Model No.	Set Contents	Code
TD6816MGU	Ratcheting Screwdriver Bits: $\oplus$ 1,2,3 $\ominus$ SL6, $\bullet$ H2, H2.5, H3, H4, H5, $\odot$ T10H, T15H, T20H, T25H, T27H, T30H, T40H x1" (25.4mm)	Carded 247025

Bit Holder

Precision Bits

## Ratcheting Screwdriver 8PC. Bit Set



- Smooth click feeling enabled by rotating angle of 5 deg. and 72-tooth gear. High strength accomplished by 2 nails supporting the ratchet gear. It can be used for final tightening work.

- The handle is made out of oil-resistant cellulose acetate resin.
- Easy to carry around with cassette type bit storage inside the handle.
- Stores 8 types of bits including TORX bit.
- Magnetic bits can be replaced with one-touch.
- Bit insertion part 6.35mm.



Model No.	Set Contents	Code
TD6808TXU	Ratcheting Screwdriver Bits: $\oplus$ 1,2 $\odot$ T10H, T15H, T20H, T25H, T30H, T40Hx1" (25.4mm)	Carded 247024

## Ratcheting Stubby Screwdriver with Flexible shaft



- Improves workability in cramped spaces! Stubby type that fits in your hand.
- Smooth click feeling enabled by rotating angle of 5 deg. and 72-tooth gear. High strength accomplished by 2 nails supporting the ratchet gear. It can be used for final tightening work.
- The handle is made out of oil-resistant cellulose acetate resin.
- Ball-lock bits can be replaced with one-touch.
- Bit insertion part 1/4"(6.35mm).



Model No.	Set Contents	Code
TD6700FX4U	Ratchet stubby screwdriver Bits: $\oplus$ 1,2 $\ominus$ SL4, SL6x33mm Flexible shaft 165mm	Carded 247027

## Ratcheting Stubby Screwdriver with Double Ended Bit $\oplus$ 2/ $\oplus$ 3



- Improves workability in cramped spaces! Stubby type that fits in your hand.
- Smooth click feeling enabled by rotating angle of 5 deg. and 72-tooth gear. High strength accomplished by 2 nails supporting the ratchet gear. It can be used for final tightening work.
- The handle is made out of oil-resistant cellulose acetate resin.
- Ball-lock bits can be replaced with one-touch.
- Bit insertion part 1/4"(6.35mm).\*



Model No.	Set Contents	Code
TD6700W23U	Ratchet stubby screwdriver Double Ended bit $\oplus$ 2/ $\oplus$ 3x35mm	Carded 247026

# Impact Drivers

## Manual Impact Driver with Cushion Grip Handle 5/16" Hex & 1/2" SQ Drive Set

- Change rotation directions with one touch.
- Soft non-slip resin handle, comfortable to grip. Designed for less shock on hands.
- For heavy-duty use.
- If the bit adapter is detached, a 12.7 mm socket can be attached.
- Bit insertion part  $\varnothing$ 8mm

JPN Package



Model No.	Set Contents	Code
ID240001	Bits $\ominus$ SL10, $\oplus$ 2, 3, 4x36mm, $\oplus$ 2, 3x80mm Body length 176mm dia. 37.5mm	246051

## Manual Impact Driver 5/16" Hex & 1/2" SQ Drive Set

- Effective for very tight fastening and loosening rusted screws.
- Suited for automobile maintenance, and assembly and disassembly of machinery and equipment.
- For heavy-duty use.
- If the bit adapter is detached, a 12.7 mm socket can be attached.
- Bit insertion part  $\varnothing$ 8mm

JPN Package



Model No.	Set Contents	Code
ID250001	Bits $\ominus$ SL10, $\oplus$ 2, 3, 4x36mm Body length 166mm dia. 32mm	246001

## Manual Impact Driver 1/4" Hex Drive Set


- Thin handle. Can be used as normal screwdriver.
- Long shank bit. Ideal for hard-to-reach cramped spaces.
- Bit insertion part  $\varnothing$ 6.35mm

JPN Package



Model No.	Set Contents	Code
ID260002	Bits $\ominus$ SL5, SL6, SL7 $\oplus$ 1, 2, 3 x125mm Body length 32.5mm dia. 26mm	246016

## INSERT BIT 1/4" Hex



Model No.	Set Content	Pack QTY	Code
C50P2125G	$\oplus$ 2x125 for Manual Impact Driver	10	Bulk 431302
C50P3125G	$\oplus$ 3x125 for Manual Impact Driver	10	Bulk 431303
C50MIXP6	6PC. Set for Manual Impact Driver	6	Bulk 431701

## INSERT BIT 5/16" Hex



Model No.	Set Content	Pack QTY	Code
C51P236G	$\oplus$ 2x36G for Manual Impact Driver	10	Bulk 431041
C51P280G	$\oplus$ 2x80G for Manual Impact Driver	10	Bulk 431042
C51P336E	$\oplus$ 3x36E for Manual Impact Driver	10	Bulk 431051
C51P380E	$\oplus$ 3x80E for Manual Impact Driver	10	Bulk 431052
C51MIXP4	4PC. Set for Manual Impact Driver	4	Bulk 431801

### POINT

#### Removal of a rusted or stuck screw

Hitting the handle with a hammer causes the impact to be converted into rotational force.

Distorted screws



Rusted screws




Stuck screws



The tip turns counterclockwise at the instant when the handle is hit with a hammer.

Loosened by impact acceleration



e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# ⊕ Cross Point Tip Screwdriver Sets

**JISDRIVE<sup>+</sup>**  
FOR ALL SCREWS

## BALL GRIP™

**Reduce your fatigue by 20%**



## MEGADORA™


⊕ JAWSFIT®



JAWS FIT® TIP

## IMPACTA

For removing stuck, rusted and distorted screws. Our Tang-thru nut incorporates a cam rotation mechanism.



## SUPER CUSHION™

### GEL FUNCTION



GEL GRIP is ideal for a heavy load on the palm.

## BALL GRIP™ JISDRIVE Screwdriver 4PC. Set

- INCLUDES 4PCS JISDRIVE Screwdrivers, ⊕1, ⊕2, ⊕2, ⊕3
- Ergonomic BALL GRIP for anti-fatigue and various way of driving
- (Purple grip) Tang-Thru Screwdriver to strike by a hammer
- (Ratchet model) Functionally enhanced BALL GRIP with 36-teeth gear ratchet for smooth driving by simple repeated finger or wrist movement
- (Ratchet Model) Useable as a stubby ratchet by popping off the blade and inserting 1/4" Hex insert bits



Model No. Set Contents

2304JSPB	<b>No.230</b> BALL GRIP™ Screwdriver
	⊕1×75, 2×100
	<b>No.2200</b> BALL RATCHET™ Screwdriver
	⊕2×150, 3×150

## MEGADORA™ JISDRIVE Screwdriver 6PC. Set

- INCLUDES 6PCS JISDRIVE Screwdrivers, ⊕0, ⊕1, ⊕1, ⊕2, ⊕2, ⊕3
- (Green Grip) Useful knurled blade for quick and slip-less driving
- (Red Grip) Forged hexagonal bolster for additional wrenching
- (Silver Grip) Blade turns 12° counterclockwise and loosens stuck screws when striking with a hammer
- (Red&Green Grip) JAWSFIT JISDRIVE tip that firmly grips screws
- Made in Japan by VESSEL



Model No. Set Contents

9806JSPB	<b>No.910</b> MEGADORA™ Thin Shank Screwdriver
	⊕0×75
	<b>No.900</b> MEGADORA™ Screwdriver
	⊕1×75
	<b>No.930</b> MEGADORA™ Tang-Thru Screwdriver
	⊕1×75, 2×100
	<b>No.980</b> MEGADORA IMPACTA™ Impact Driven Screwdriver
	⊕2×150, 3×150

## SUPER CUSHION™ JISDRIVE Screwdriver 4PC. Set

- INCLUDES 4PCS JISDRIVE Screwdrivers, ⊕1, ⊕2, ⊕2, ⊕3
- Combining Cushion and Gel material to have Maximum Comfort Grip that fits into your palm
- Secure Gripping by its Flexy material enables Max Torque Output
- Made in Japan by VESSEL




Model No. Set Contents

7304JSPB	<b>No.700</b> SUPER CUSHION™ Screwdriver
	⊕1×75, 2×100
	<b>No.730</b> SUPER CUSHION™ Tang-Thru Screwdriver
	⊕2×150, 3×150

# Screwdriver Sets


## MEGADORA™ JAWSFIT® Screwdriver 8PC. Set



Magnetic

Model No.	Set Contents	Code
9008EVA	<b>No.900</b> MEGADORA™ Screwdriver ⊖ SL5.5×75, SL6×150, SL8×150 ⊕ 1×75, 2×150, 3×150 <b>No.920</b> MEGADORA™ Stubby Screwdriver ⊖ SL6×25, ⊕ 2×25	121587

## MEGADORA™ JAWSFIT® Tang-Thru Screwdriver 8PC. Set



Magnetic

Model No.	Set Contents	Code
9308EVA	<b>No.930</b> MEGADORA™ Tang-Thru Screwdriver ⊖ SL5.5×75, SL6×150, SL8×150 ⊕ 1×75, 2×150, 3×150 <b>No.920</b> MEGADORA™ Stubby Screwdriver ⊖ SL6×25 ⊕ 2×25	121588

## MEGADORA IMPACTA™ Assorted Screwdriver 8PC. Set



Magnetic

Model No.	Set Contents	Code
980MIXEVA	<b>No.980</b> MEGADORA IMPACTA™ Screwdriver ⊕ 2×100, 2×150, 3×150 <b>No.900</b> MEGADORA™ Screwdriver ⊖ SL8×150, ⊕ 1×75 <b>No.930</b> MEGADORA™ Tang-Thru Screwdriver ⊖ SL5.5×75 <b>No.920</b> MEGADORA™ Stubby Screwdriver ⊖ SL6×25, ⊕ 2×25	121589

## MEGADORA™ Screwdriver 6PC. Set



Magnetic

Model No.	Set Contents	Code
9006PB	<b>No.900</b> MEGADORA™ Screwdriver ⊖ SL5.5×75, SL6×100, SL8×150 ⊕ 1×75, 2×100, 3×150	122500


## MEGADORA™ Insulated Screwdriver 6PC. Set



Magnetic

Model No.	Set Contents	Code
9606EVA	<b>No.960</b> MEGADORA™ Insulated Screwdriver ⊖ SL5×75, SL6×100, SL8×150 ⊕ 1×75, 2×100, 3×150	150906

## MEGADORA™ Chisel/ Clip Remover/ Hose Remover Mix 6PC. Set



Magnetic

Model No.	Set Contents	Code
9706EVA	<b>No.970</b> MEGADORA™ Chisel-Type Screwdriver 9.5×120 <b>No.970</b> MEGADORA™ Clip Remover CR6×110, CR7·12×120 <b>No.970</b> MEGADORA™ Hose Remover HRS×130, HRR×89, HRL×89	121598

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Chisel-Type  
Screwdriver

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits

# Screwdriver Sets

## MEGADORA IMPACTA™ Screwdriver 2PC. Set



Model No.	Set Contents	Code
9802SC	<b>No.980</b> MEGADORA IMPACTA™ Screwdriver ⊕ 2x100, 3x150	122503

## MEGADORA™ Clip Remover 2PC. Set



Model No.	Set Contents	Code
970CR2SC	<b>No.970</b> MEGADORA™ Clip Remover CR6x110, CR7•12x120	121596

## MEGADORA™ Hose Remover 3PC. Set



Model No.	Set Contents	Code
970HR3PB	<b>No.970</b> MEGADORA™ Hose Remover HRSx130, HRRx89, HRLx89	121597

## BALL RATCHET™ Screwdriver 5PC. Set



Model No.	Set Contents	Code
22005EVA	<b>No.2200</b> Ball Ratchet™ Screwdriver ⊖ SL6x100, SL6x150 ⊕ 2x100, 2x150, 3x150	121590

## BALL RATCHET™ Screwdriver 2PC. with 3PC. Replacement Blade Set



Model No.	Set Contents	Code
22002N3EVA	<b>No.2200</b> Ball Ratchet™ Screwdriver ⊖ SL6x100 ⊕ 2x100 No.2200B Replacement Blade ⊖ SL6x150, ⊕ 2x150, 3x150	121591

## BALL GRIP™ Screwdriver 4PC. Set




Model No.	Set Contents	Code
2204PBU	<b>No.220</b> BALL GRIP™ Screwdriver ⊖ SL5.5x75, SL6x100 ⊕ 1x75, 2x100	152720

## BALL GRIP™ Insulated Screwdriver 5PC. Set



Model No.	Set Contents	Code
2005PBU	<b>No.200</b> BALL GRIP™ Insulated Screwdriver ⊖ SL5x75, SL6x100 ⊕ 1x75, 2x100, 3x150	121590

## WOOD-COMPO™ Non-Slip Tang-Thru Screwdriver 8PC. Set




Model No.	Set Contents	Code
3308EVA	<b>No.330</b> WOOD-COMPO™ Tang-Thru Screwdriver ⊖SL5.5x75, SL6x150, SL8x150 ⊕1x75, 2x150, 3x150 <b>No.320</b> WOOD-COMPO™ Stubby Screwdriver ⊖SL6x15, ⊕2x15	150902

## WOOD-COMPO™ Non-Slip Screwdriver 6PC. Set



Model No.	Set Contents	Code
3006CS	<b>No.300</b> WOOD-COMPO™ Screwdriver ⊖SL5.5x75, SL6x100, SL8x150 ⊕1x75, 2x100, 3x150	150901

## WOOD-COMPO™ Non-Slip Tamper-proof Torx Screwdriver 7PC. Set



Model No.	Set Contents	Code
3407EVA	<b>No.340</b> WOOD-COMPO™ Tamper-proof Torx Screwdriver ⊕T10x120H, T15Hx120, T20Hx120, T25Hx120 T27Hx120, T30Hx120, T40Hx120	150903

## ARMOR GRIP™ Screwdriver 8PC. Set



Model No.	Set Contents
550A8PTU	<b>No.550</b> ARMOR GRIP™ Screwdriver ⊖SL5.5x75, SL6x100, SL8x150, SL6x25.4 ⊕1x75, 2x100, 3x150, 2x25.4

## WOOD-COMPO™ Non-Slip Hex Nut Driver 8PC. Set



Model No.	Set Contents	Code
3808EVA	<b>No.380</b> WOOD-COMPO™ Hex Nut Driver ○A/F 5x125, A/F 5.5x125, A/F 7x125, A/F 8x125 A/F 10x125, A/F12x125, A/F13x125, A/F 14x125	150904

## ARMOR GRIP™ Screwdriver 4PC. Set



Model No.	Set Contents
550APH4PBU	<b>No.550</b> ARMOR GRIP™ Screwdriver ⊕0x75, 1x75, 2x150, 3x150

e-ASSIST®  
Screwdrivers

IMPACT & OUT™

MEGADORA™  
Screwdrivers

BALL GRIP™  
Screwdrivers

Cushion Grip  
Screwdrivers

WOOD-COMPO™  
Series

Precision  
Screwdrivers

2WAY Series

Functional  
Screwdrivers

Impact Drivers

Screwdriver  
Sets

"L-KEY"  
Wrenches

Other  
Hand Tools

IMPACT BALL™

NECK TORSION™

DRY WALLER™

Counter Display

Accessories

For Branding

Insert Bits

Power Bits

Power Bits/  
Mag Catcher

Double-Ended  
Power Bits

Nut Setters

Bit Holder

Precision Bits