




PNEUMATIC TOOLS FOR PROFESSIONALS



SINCE 1973



VESSEL Co., Inc.
Osaka Japan
www.vessel.co.jp/english

VESSEL TOOLS U.S.A., INC.
vesseltoolsusa.com



Index

Impact Ratchet Wrench

SP-1764HD SP-1765HD
SP-7260RP SP-7265RP
SP-7730



>>P3

Ratchet Wrench

SP-7260 SP-7265
SP-7265W SP-7770
SP-7772 SP-7780
SP-7250H



>>P4

Impact Wrench

SP-1140EX SP-1140EXL
SP-7144 SP-7146EX
SP-7146EXS SP-7825
SP-7825S SP-1850
SP-1850S SP-7150-V8
SP-1158 SP-1193GE-6
SP-1194DX-6



>>P5

Air Impact Driver

SP-7825HU SP-7146HX
SP-8102BU



>>P7

Air Drill

SP-7527 SP-7527KL
SP-1523D



>>P8

Cut-off Tool

SP-7230 SP-7231
SP-7231R 7231AWC
SP-7234



>>P9

Air Saw / Disc Grinder

SP-1257 SP-7610
SP-7620



>>P10

Die Grinder

SP-7220 SP-7211
SP-7212 SP-1900
SP-7200 SP-4BS
SP-7201 SP-7202
SP-4NF



>>P11

Beveler

SP-7252F SP-7252FR



>>P13

Sander / Polisher

SP-1350 SP-7201DA
SP-7500AHM SP-1370A
SP-1380



>>P14

Air Hammer

SP-1400
SP-1410 / SP-1410K



>>P15

Needle Scaler

SP-1460 SP-1470



>>P16

OUR STORY



SP AIR products are used around the world

SP Air USA Inc. was established in 1989 as a subsidiary of SP Air Corporation of Tokyo, Japan. In December of 2011 SP Air USA Inc. opened a new warehouse in Columbus, Ohio.

We are a Japanese manufacturer of high quality pneumatic tools with over 50 years of experience. SP Air's main focus is the automotive aftermarket, and we also provide a number of precision products in the woodworking/craftsman and light industrial markets.

As of July 1st, 2020, VESSEL Co., Inc. (Osaka, Japan) acquired SP Air Corporation (Tokyo, Japan) and VESSEL TOOLS U.S.A., Inc (Torrance, CA) also merged with SP AIR USA Inc (Columbus, OH).



Exclusively Distributed by
VESSEL TOOLS U.S.A., INC.

WARRANTY & REPAIR

Authorized Warranty & Repair Center in USA

All Repairs must be sent to: **Power Tool Repair**
ADDRESS: 371 West Ave Tallmadge, OH 44278
PHONE: 330-630-0022
EMAIL: service@ptroho.com
<https://powertoolrepair.com/service-orders/>

Authorized Warranty & Repair Center in Canada

REPAIR CENTER	ADDRESS	PHONE	EMAIL
Advanced Air Tool Repair B.C	1471 Laburnam Street Pemberton, B.C V0N2L1	416-520-6113	airtoolsbc@gmail.com
Claude Maheux Pneumatique	35 De La Sapiniere Gatineau, Quebec J9A 2W9	819-595-9284	cmp@bellnet.ca
H.T Pneumatic Rebuilders Inc.	22 Goodmark PL Unit #8 Toronto ON M9W 6R2	416-407-5739	johnhollick@htpneumatic.com

Impact Ratchet Wrench

Impact Ratchet Wrench

Three times as fast as a standard air ratchet!

The impact mechanism is built into the air ratchet wrench, so that it can be tightened by the power of impact.

- It is safer because there is little backlash when tightening is completed.
- The rotation speed is more than Three times as fast as that of a normal ratchet, which makes tightening and loosening fast and easy.
- The speed of tightening can be adjusted by the built-in air regulator on the top rear of the tool.



SP-7260RP

1/4" THE PERFECT IMPACT RATCHET
600rpm/ 45ft-lbs.

SP-7265RP

3/8" THE PERFECT IMPACT RATCHET
600rpm/ 45ft-lbs.

- Sealed Head for Long Life.
- Impact Mechanism [Patented].
- Built-in Power Regulator.
- Single Dog Clutch.

600rpm/45ft-lbs.



Scan to watch Demo Video



Sealed Flat Ratchet Mechanism



SP-1764HD

1/4" SUPER FAST MINI IMPACT RATCHET
700rpm/ 55ft-lbs.


SP-1765HD

3/8" SUPER FAST MINI IMPACT RATCHET
700rpm/ 55ft-lbs.

- Impact Mechanism [Patented].
- Built-in Power Regulator.
- Single Dog Clutch.

700rpm/55ft-lbs.

Super Fast



Scan to watch Demo Video



SP-7730

3/8" REACTION FREE HIGH SPEED IMPACT RATCHET
450rpm/ 100ft-lbs.

- Impact Mechanism [Patented].
- Built-in Power Regulator.
- Reverse Lever.
- Single Dog Clutch.

450rpm/100ft-lbs.

Hight Torque



Model No.	Sq. Drive	Bolt Capacity	Max. Torque	Free Speed	Overall Length	Net Weight	Sound Level
SP-1764HD	1/4"	5/16"	55 ft-lbs.	700 rpm	6.9"	1.4 lbs.	84.4 dB
SP-1765HD	3/8"	3/8"	55 ft-lbs.	700 rpm	6.9"	1.4 lbs.	84.4 dB
SP-7260RP	1/4"	5/16"	45 ft-lbs.	600 rpm	7.5"	1.6 lbs.	88.1 dB
SP-7265RP	3/8"	3/8"	45 ft-lbs.	600 rpm	7.5"	1.6 lbs.	88.1 dB
SP-7730	3/8"	3/8"	100 ft-lbs.	450 rpm	11.6"	3.1 lbs.	88.2 dB

Ratchet Wrench

SP-7260

1/4" SEALED FLAT HEAD MINI RATCHET
290rpm/ 25ft-lbs.

- Sealed Head for Long Life.
- Reverse Lever for One-handed operation.
- Air Regulator.
- Swivel Air Inlet with 360° Exhaust Sleeve.



Sealed Flat Ratchet Mechanism

Light Weight



SP-7265

3/8" SEALED FLAT HEAD MINI RATCHET
290rpm/ 25ft-lbs.

SP-7265W
3/8" WOBBLE ANVIL SEALED FLAT HEAD MINI RATCHET

SP-7780

3/8" HEAVY-DUTY SEALED FLAT HEAD RATCHET WRENCH [SHORT VERSION]
200rpm/ 80ft-lbs.

- Sealed Head for Long Life.
- Reverse Lever for One-handed operation.
- Air Regulator.
- 360° Exhaust Sleeve.

High Power



Sealed Flat Ratchet Mechanism



SP-7770

1/4" ROTATIONAL HEAD RATCHET WRENCH
220rpm/ 25ft-lbs.

- Reverse Lever.
- Built-in Air Regulator.
- Swivel Air Inlet and Rear Air Exhaust.



- To adjust head, slide the ring forward and turn the ratchet housing.




SP-7772

3/8" ROTATIONAL HEAD RATCHET WRENCH
220rpm/ 25ft-lbs.

SP-7250H

LOW PROFILE 1/4" HEX. BIT DRIVER
290rpm/ 25ft-lbs.

- Sealed Head for Long Life.
- Reverse Lever for One-handed operation.
- Air Regulator.
- Swivel Air Inlet with 360° Exhaust Sleeve.



Broken Bit Knock Out Access



- Low profile for use in tight areas.
- Use with any 1/4" drive bit.
- Ratchet style for ease of use.

Model No.	Sq. Drive	Bolt Capacity	Max. Torque	Free Speed	Overall Length	Net Weight	Sound Level
SP-7260	1/4"	5/16"	25 ft-lbs.	290 rpm	8"	1.5 lbs.	87 dB
SP-7265	3/8"	3/8"	25 ft-lbs.	290 rpm	8"	1.5 lbs.	87 dB
SP-7265W	3/8"	3/8"	25 ft-lbs.	290 rpm	8"	1.5 lbs.	87 dB
SP-7770	1/4"	5/16"	25 ft-lbs.	220 rpm	7.9"	1.3 lbs.	82 dB
SP-7772	3/8"	3/8"	25 ft-lbs.	220 rpm	7.9"	1.3 lbs.	82 dB
SP-7780	3/8"	3/8"	80 ft-lbs.	200 rpm	9.75"	3.5 lbs.	82.6 dB

Model No.	Hex. Drive	Max. Torque	Free Speed	Overall Length	Net Weight	Sound Level
SP-7250H	1/4"	25 ft-lbs.	290 rpm	8"	1.5 lbs.	82 dB

Impact Ratchet Wrench
Ratchet Wrench
Impact Wrench
Air Impact Driver
Air Drill
Cut-off Tool
Reciprocating Saw/ Disc Grinder
Die Grinder
Beveler
Sander/ Polisher
Needle Scaler

Impact Wrench

Impact Ratchet Wrench

SP-1140EX

1/2" HEAVY DUTY IMPACT WRENCH

Ratchet Wrench

- Built-in Power Regulator.
- Twin Dog Clutch.

Impact Wrench



Air Impact Driver



Twin Dog Clutch

Air Drill

- Twin dog clutch provides more power and smooth balanced blows.
- Produced 800ft.-lbs. of bolt removing torque.
- Visual forward regulator with 4 torque settings and one full power reverse setting.

Cut-off Tool

SP-7144

1/2" COMPOSITE IMPACT WRENCH

Reciprocating Saw/ Disc Grinder



Twin Dog Clutch

Die Grinder



SAS (Side And Side) System
Forward / Reverse for one hand operation.

Beveler



Air Regulator
4 torque setting and full power reverse.

Sander/ Polisher

- Composite body greatly reduces weight to allow longer, fatigue free, operation when compared to heavier models with comparable torque and speed specifications.

SP-1140EXL

1/2" HEAVY DUTY IMPACT WRENCH w/ 2" EXTEND ANVIL

SP-7146EX

1/2" COMPOSITE MINI IMPACT WRENCH



Twin Dog Clutch



SAS (Side And Side) System
Forward / Reverse for one hand operation.



Air Regulator
4 torque setting.

SP-7146EXS

3/8" COMPOSITE MINI IMPACT WRENCH



SP-7825


3/8" COMPOSITE MINI IMPACT WRENCH



Double Hammer Clutch



SAS (Side And Side) System
Forward / Reverse for one hand operation.



Air Regulator
4 torque setting.

SP-7825S

1/4" COMPOSITE MINI IMPACT WRENCH



SP-1850

3/8" PALM IMPACT WRENCH



Double Hammer Clutch



Air Regulator
4 torque setting.

SP-1850S

1/4" PALM IMPACT WRENCH



Palm Size

Air Hammer

Needle Scaler

Model No.	Sq. Drive	Bolt Capacity	Max. Torque	Free Speed	Overall Length	Net Weight	Sound Level
SP-1140EX	1/2"	5/8"	800 ft.-lbs.	6,000 rpm	7.5"	5.7 lbs.	88.8 dB
SP-1140EXL	1/2"	5/8"	800 ft.-lbs.	6,000 rpm	9.5"	6.6 lbs.	88.8 dB
SP-7144	1/2"	5/8"	(F) 750 ft.-lbs. (R) 800 ft.-lbs.	(F) 5,700 rpm (R) 6,500 rpm	6.1"	4.0 lbs.	93.1 dB
SP-7146EX	1/2"	5/8"	440 ft.-lbs.	10,000 rpm	5.2"	2.1 lbs.	93.1 dB
SP-7146EXS	3/8"	1/2"	380 ft.-lbs.	10,000 rpm	5.2"	2.1 lbs.	93.1 dB
SP-7825	3/8"	3/8"	94 ft.-lbs.	17,000 rpm	4.3"	1.5 lbs.	84.2 dB
SP-7825S	1/4"	3/8"	94 ft.-lbs.	17,000 rpm	4.3"	1.5 lbs.	84.2 dB
SP-1850	3/8"	3/8"	72 ft.-lbs.	10,000 rpm	5.4"	1.0 lbs.	87.4 dB
SP-1850S	1/4"	3/8"	72 ft.-lbs.	10,000 rpm	5.4"	1.0 lbs.	87.4 dB

SP-7150-V8

3/4" COMPOSITE IMPACT WRENCH



Twin Dog Clutch



SAS (Side And Side) System

Forward / Reverse for one hand operation.



Air Regulator
4 torque setting.

- Eight vane motor delivers hard-hitting torque of more than 1,000 ft-lbs.
- Housed in a composite housing weighing less than 8 lbs.

SP-1193GE-6

1" IMPACT WRENCH



Ratchet Wrench



Pinless Hammer Clutch



Air Regulator
Forward, Reverse torque setting.

Impact Wrench

Air Impact Driver

Air Drill

SP-1158

3/4" IMPACT WRENCH



Single Dog Clutch



Air Regulator
Forward, Reverse button with 5 torque setting.

Cut-off Tool

SP-1194DX-6

1" IMPACT WRENCH


 Reciprocating Saw/
Disc Grinder


Twin Dog Clutch

Twin dog clutch assembly operates within an oil bath to provide long life and reduced noise.



Air Regulator
4 torque setting.

Die Grinder

Beveler

Sander/ Polisher

Model No.	Sq. Drive	Bolt Capacity	Max. Torque	Free Speed	Overall Length	Net Weight	Sound Level
SP-7150-V8	3/4"	1"	1,100 ft-lbs.	4,300 rpm	9.3"	7.9 lbs.	94.9 dB
SP-1158	3/4"	1"	1,200 ft-lbs.	5,500 rpm	8.7"	12.0 lbs.	93.5 dB
SP-1193GE-6	1"	1-1/2"	2,300 ft-lbs.	4,000 rpm	22.0"	28.7 lbs.	98.0 dB
SP-1194DX-6	1"	1-1/2"	1,800 ft-lbs.	4,800 rpm	20.6"	17.2 lbs.	96.7 dB

Air Hammer

Needle Scaler

Air Impact Driver

Impact
Ratchet Wrench

SP-7825HU

1/4" HEX. COMPOSITE IMPACT DRIVER

Ratchet Wrench

1/4" Hexagonal



Ultralight

Impact Wrench



Air Impact Driver



Double Hammer Clutch



SAS (Side And Side) System

Forward / Reverse for one hand operation.



Air Regulator
4 torque setting.

Air Drill

Cut-off Tool

SP-8102BU

1/4" HEX. IMPACT DRIVER

1/4" Hexagonal



Double Hammer Clutch



Reverse Lever



Air Regulator
4 torque setting.

SP-7146HX

1/4" HEX. COMPOSITE IMPACT DRIVER

Reciprocating Saw/
Disc Grinder

1/4" Hexagonal



Ultralight



Die Grinder



Double Hammer Clutch



SAS (Side And Side) System

Forward / Reverse for one hand operation.

Sander/ Polisher



Air Regulator
4 torque setting.

Air Hammer

Needle Scaler

Model No.	Hex. Drive	Max. Torque	Free Speed	Overall Length	Net Weight	Sound Level
SP-7825HU	1/4"	94 ft-lbs.	17,000 rpm	4.7"	1.5 lbs.	85.5 dB
SP-7146HX	1/4"	100 ft-lbs.	8,500 rpm	5.3"	2.1 lbs.	92.0 dB
SP-8102BU	1/4"	100 ft-lbs.	11,500 rpm	6"	2.6 lbs.	90.0 dB

Air Drill

SP-7527

1/2" COMPOSITE AIR DRILL

400rpm

- 1/2"(13mm) Drill Chuck.
- Light Weight Composite Body.



Double Gear Mechanism
For Short body



SAS (Side And Side) System
Forward / Reverse
for one hand operation.



Air Exhaust with Muffler

SP-7527KL


1/2" COMPOSITE AIR DRILL [KEYLESS CHUCK]

400rpm

- 1/2"(13mm) Keyless Drill Chuck.
- Light Weight Composite Body.



Double Gear Mechanism
For Short body



SAS (Side And Side) System
Forward / Reverse
for one hand operation.



Air Exhaust with Muffler

SP-1523D

3/8" STRAIGHT DRILL / TIRE BUFFER

- Precision drill chuck.
- Lever type.
- Right rotation only.



Model No.	Chuck Size	Free Speed	Overall Length	Net Weight	Sound Level
SP-7527	1/2"	400 rpm	7"	2.9 lbs.	86.8 dB
SP-7527KL	1/2"	400 rpm	7.1"	2.9 lbs.	86.8 dB
SP-1523D	3/8"	3,800 rpm	7.5"	1.59 lbs.	83.0 dB

Impact
Ratchet Wrench

Ratchet Wrench

Impact Wrench

Air Impact Driver

Air Drill

Cut-off Tool

Reciprocating Saw/
Disc Grinder

Die Grinder

Beveler

Sander/ Polisher

Air Hammer

Needle Scaler

Cut-off Tool

Impact
Ratchet Wrench

SP-7230

CUT-OFF TOOL (DISC SIZE : 3")

Ratchet Wrench



Impact Wrench

Air Impact Driver

- Ergonomic design cushion-grip handle.
- Rear exhaust. Safety throttle lever.
- Built-in power regulator.
- Direct drive motor. Graduated trigger.
- Metal guard. Cuts muffler clamps and hangers, sheet metal, radiator hose clamps, bumper bolts, and even steel rods up to 3/4".


Air Drill

Cut-off Tool

SP-7231R

REVERSIBLE FLEX HEAD CUT-OFF TOOL (DISC SIZE : 3")

Reciprocating Saw/
Disc Grinder



- Built-in Power Regulator.
- Rear Exhaust.
- Safety Throttle Lever.
- Reverse Lever.

Die Grinder

**3-POSITION
FLEX HEAD**




Beveler

Sander/ Polisher

SP-7231

FLEX HEAD CUT-OFF TOOL (DISC SIZE : 3")




- Built-in Power Regulator.
- Rear Exhaust.
- Safety Throttle Lever.

**3-POSITION
FLEX HEAD**



7231AWC

ADJUSTABLE WHEEL COVER



Fits SP AIR model # SP-7231, SP-7231R.
Fits also MAC AT35A (Mac Brand)
Adjustable cut depth (Minimum 1/8")

Air Hammer

Model No.	Disc Size	Free Speed	Overall Length	Net Weight	Sound Level
SP-7230	3"	20,000 rpm	6.8"	1.5 lbs.	90.0 dB
SP-7231	3"	18,000 rpm	8.6"	2.6 lbs.	90.0 dB
SP-7231R	3"	12,000 rpm	8.8"	2.8 lbs.	90.0 dB

Needle Scaler

Reciprocating Saw/ Disc Grinder



Impact Ratchet Wrench


SP-7234

4" EXTENDED REACH CUT-OFF TOOL

- Long Shaft.
- Wheel Cover.
- Safety Lever.
- Built-in Power Regulator.
- Rear Exhaust.



Accessories



SP-1257

5" ANGLE DISC GRINDER [LEVER TYPE]



- Built-in governor mechanism.
- Safety lever.
- Handle grip mounts on either side for right or left hand operation.
- Hardened and ground spiral bevel gears for lower vibration.

Ratchet Wrench

Impact Wrench

Air Impact Driver

Air Drill

Cut-off Tool

Reciprocating Saw/ Disk Grinder

Die Grinder

Beveler

Sander/ Polisher

Air Hammer

Needle Scaler

SP-7610

RECIPROCATING SAW [GEAR TYPE]

- Adjustable Blade Guide.
- Safety Lever.
- Air Regulator.
- Cutting Capacity 5/32".



SP-7620

SHORT RECIPROCATING SAW [GEAR TYPE]

- Blade Guide.
- Safety Lever.
- Air Regulator.
- Cutting Capacity 5/64".

Compact Body



Tool Cutaway



Option

7610-200 Edge Blade



Durable 24 TPI blades. (Set of 10pcs.)

Accessories



Scan to watch Demo Video

Model No.	Disc Size	Free Speed	Overall Length	Net Weight	Sound Level
SP-7234	4"	14,000 rpm	13.8"	3.3 lbs.	88.8 dB
SP-1257	5"	12,000 rpm	9.3"	3.7 lbs.	86.0 dB

Model No.	Strokes/min.	Stroke	Overall Length	Net Weight	Sound Level
SP-7610	5,300	0.47"	8.15"	1.3 lbs.	86.5 dB
SP-7620	7,500	0.24"	6.1"	1.0 lbs.	86.5 dB

Die Grinder

Impact
Ratchet Wrench

SP-7220

1/4" HEAVY-DUTY STRAIGHT DIE GRINDER

Ratchet Wrench



Impact Wrench

Air Impact Driver

- Ergonomic design cushion-grip handle.
- Rear exhaust.
- Built-in power regulator.
- Safety throttle lever.
- Direct drive motor with graduated trigger.

Air Drill

Cut-off Tool

SP-7212

1/4" HEAVY-DUTY 120 degree ANGLE HEAD DIE GRINDER



- 120 degree Angle head.
- Ergonomic design cushion-grip handle.
- Rear exhaust.
- Built-in power regulator.
- Safety throttle lever.

Beveler

Sander/ Polisher

SP-7211

1/4" HEAVY-DUTY 90 degree ANGLE HEAD DIE GRINDER



- Ergonomic design cushion-grip handle. Rear exhaust.
- Built-in power regulator.
- Safety throttle lever.

SP-1900

1/8" MICRO GRINDER



- Rear exhaust.
- Flexible 59" long hose.

Die Grinder

Air Hammer

Model No.	Collet Size	Free Speed	Overall Length	Net Weight	Sound Level
SP-7220	1/4"	20,000 rpm	6.9"	1.37 lbs.	90.1 dB
SP-7211	1/4"	18,000 rpm	6.9"	1.75 lbs.	87.8 dB
SP-7212	1/4"	18,000 rpm	6.6"	1.69 lbs.	86.8 dB
SP-1900	1/8"	70,000 rpm	6" (w/o hose)	0.9 lbs. (w/o hose)	78.3 dB

Needle Scaler

SP-7200

1/4" STRAIGHT DIE GRINDER



- Ergonomic design cushion-grip handle.
- Swivel Air Inlet with 360° Exhaust Sleeve.
- Built-in power regulator.
- Safety throttle lever.
- Direct drive motor with graduated trigger.

SP-7201

1/4" ANGLE HEAD DIE GRINDER



- 90 degree corner type.
- Anti-vibration ultra-soft grip.
- Easy adjustment of the regulator.
- Swivel inlet and exhaust.

SP-7202

1/4" ANGLE HEAD DIE GRINDER



- 120 degree corner type.
- Safety throttle lever.
- Urethane covered cushion grip.
- Built-in power regulator.
- 360 degrees rotating rear exhaust.

SP-4BS

CARBIDE BURR 4pc SET FOR FERROUS MATERIALS


- For use with 1/4" High Speed Die Grinders.
- For use in metalworking, mold and pattern making, die sinking, surface cleaning and maintenance.
- Removes Burrs from Sheet metal or cast iron.
- Cleans up welding areas.



Ratchet Wrench

Impact Wrench

CARBIDE BURRS



Air Impact Driver

Air Drill

SP-4NF

CARBIDE BURR 4pc SET FOR ALUMINUM / NON-FERROUS MATERIALS

- Allowing rapid stock removal on nonferrous and plastics materials.
- Avoiding clogging.
- Ensures smooth cutting operation.
- Giving a guaranteed smoother grinding operation.




Cut-off Tool

 Reciprocating Saw/
Disc Grinder

Die Grinder

CARBIDE BURRS



Beveler

Sander/ Polisher

Model No.	Collet Size	Free Speed	Overall Length	Net Weight	Sound Level
SP-7200	1/4"	23,000 rpm	6"	0.88 lbs	82.0 dB
SP-7201	1/4"	20,000 rpm	6.4"	1.25 lbs	82.4 dB
SP-7202	1/4"	20,000 rpm	7.6"	1.23 lbs	83.0 dB

Air Hammer

Needle Scaler

Beveler

Impact Ratchet Wrench

Ratchet Wrench

Impact Wrench

Air Impact Driver

Air Drill

Cut-off Tool

Reciprocating Saw/ Disc Grinder

Die Grinder

Beveler

Sander/ Polisher

Air Hammer

Needle Scaler

SP-7252F

AIR MINI BEVELER [STRAIGHT]

SP-7252FR

AIR MINI BEVELER [RADIUS]

Palm Size



- Safety Throttle Lever.
- Front Exhaust for cooling metal.




Scan to watch Demo Video

- Use the Palm Beveler to: Clean up the welds, Beveling steel or aluminum edges for Custom work, Automotive, Motorcycles, Marine and Aircraft uses.
- 45° Straight and Radius Blade available.

3 Blade Cutting Head



3 Edged Cutters [C]



Replacement Blade

45° Straight



SPP-252-C1.5-1P
(3pcs, 10pcs)

Radius



SPP-252-R1.5-1P
(3pcs, 10pcs)

Flange with Scale to Set Depth of Bevel



Applied Example

Cut Radius Chamfers




Cut Straight Chamfers


Cut Straight & Radius Chamfers

Machines chamfering capabilities


Cuts inside circles with a 0.27" diameter or more



Cuts materials with a minimum of 0.1" thickness



Will make blind cuts with a minimum of 0.3" depth



Model No.	Min. Diameter	Chamfering Capacity	Free Speed	Overall Length	Net Weight	Sound Level
SP-7252F	0.27"	C45° 0.06"	23,000 rpm	4.4"	0.9 lbs.	81.5 dB
SP-7252FR	0.27"	R0.06"	23,000 rpm	4.4"	0.9 lbs.	81.5 dB

Sander/ Polisher

SP-1350

5" HIGH SPEED SANDER

- Handle Exhaust with Silencer.
- Rubber Cover.



SP-7201DA

2" MINI D/A SANDER

- Swivel Air Inlet with 360° Exhaust Sleeve.



2" SANDING DISC




SPP-7201DA-80 (25PK,50PK,100PK)
 SPP-7201DA-180(25PK,50PK,100PK)
 SPP-7201DA-320(25PK,50PK,100PK)

SP-7500AHM

3" MINI POLISHER

- Swivel Air Inlet with 360° Exhaust Sleeve.
- Spindle Size: 5/16-24UNF.
- Air Regulator.

LOW SPEED
SINGLE ACTION



3" 100% Twist Wool Pad




- Well Balanced.
- More Powerful.
- Wide Range of Uses.
- Polish Small Areas.
- Polish Complex Shapes.


SP-1370A

3/8" & 1/2" x 13" BELT SANDER

- Quick change belt guide allows belt replacement in seconds.



Belt Size




REPLACEMENT BELT




Replacement Belt
SPP-370-80 (5pcs, 10pcs)

SP-1380

3/4" x 20-1/2" BELT SANDER



Belt Size



REPLACEMENT BELT



Replacement Belt
SPP-380-60 (5pcs, 10pcs)

Model No.	Disc Size	Free Speed	Overall Length	Net Weight	Sound Level
SP-1350	3" & 5"	15,000 rpm	5"	2.1 lbs.	77.8 dB
SP-7201DA	2"	12,000 rpm	6.3"	1.3 lbs.	87.9 dB
SP-7500AHM	3"	2,500 rpm	7.9"	1.7 lbs.	85.8 dB

Model No.	Belt Size	Free Speed	Overall Length	Net Weight	Sound Level
SP-1370A	3/8 & 1/2" x 13"	16,000 rpm	11"	1.7 lbs.	82.0 dB
SP-1380	3/4" x 20-1/2"	17,000 rpm	14.4"	3.1 lbs.	85.5 dB

Impact Ratchet Wrench

Ratchet Wrench

Impact Wrench

Air Impact Driver

Air Drill

Cut-off Tool

Reciprocating Saw/
Disc Grinder

Die Grinder

Beveler

Sander/ Polisher

Air Hammer

Needle Scaler

Air Hammer

Impact
Ratchet Wrench

SP-1400

LONG BARREL AIR HAMMER

Ratchet Wrench



Impact Wrench

- For industrial and auto repair applications.
- Ideal for general cutting, body panel crimping, shearing, rust/paint removal, chipping and scraping.
- Comfortable non-slip ergonomic grip.
- Graduated trigger control.
- Built-in air regulator.
- Quick change coil spring retainer allows for fast and easy chisel changes.
- Handle exhaust.

Air Impact Driver

Air Drill

Cut-off Tool

Reciprocating Saw/
Disc Grinder

Die Grinder

Beveler

Sander/ Polisher

Air Hammer

Needle Scaler

SP-1410

AIR HAMMER



- Variable speed trigger.
- Built-in regulator.
- Quick change coil spring retainer allows for fast and easy chisel changes.

SP-1410K

AIR HAMMER KIT

Accessories



Sheet metal chisel



Flat chisel



Tapered punch chisel



Spot welder chisel



Model No.	Shank Size	Free Speed	Overall Length	Net Weight	Sound Level
SP-1400	0.4"	2,100 rpm	8.5"	3.6 lbs.	96 dB
SP-1410/ SP-1410K	0.4"	3,000 rpm	8.5"	3.6 lbs.	96 dB

Needle Scaler

SP-1460

NEEDLE SCALER [SMALL]



SP-1470

NEEDLE SCALER [LARGE]



Model No.	Piston Diameter	Stroke	Needle	Blows/min.	Overall Length	Net Weight	Vibration Level A
SP-1460	3/4"	1/2"	1/8" x 12 pcs	5,000	9"	2.8 lbs.	27.87 m/s ²
SP-1470	1"	7/8"	1/8" x 19 pcs	4,000	16"	5.7 lbs.	31.68 m/s ²

Impact
Ratchet Wrench

Ratchet Wrench

Impact Wrench

Air Impact Driver

Air Drill

Cut-off Tool

Reciprocating Saw/
Disc Grinder

Die Grinder

Beveler

Sander/ Polisher

Air Hammer

Needle Scaler