

VESSEL

Delivering professional tools
filled with
professional mind.



TATARA STORY™

TATARA is a traditional iron making process of KATANA that has been handed down for over a thousand years in Japan.
Carefully selected steel material burned in red like TATARA had been hammered
and drawn out to produce screwdriver blade at the time of our company foundation in 1916.
Passion of manufacturing screwdriver that used to be deliberately smith forged one by one is passed down to us.



VESSEL

VESSEL Co., Inc.

17-25, Fukae - Kita 2 - chome, Higashinari - ku, Osaka 537-0001 Japan

VESSEL TOOLS USA, INC.

Costa Mesa, CA 92627 USA





SCREWDRIVER



MEGADORA
IMPACTA™

Cam Rotation Mechanism



For removing stuck, rusted, or stripped screws
Tang-thru with cam rotation mechanism

MEGADORA™ Screwdriver

- NEW Phillips JAWSFIT tip that firmly grips screws
- Useful knurled blade for quick and slipless turning



No.900 JAWSFIT®

Code						(mm)
900S5575	⊖	5.5x75	5.5(3/16")	0.8	75(3")	30 175
900S6100		6x100	6.0(1/4")	0.9	100(4")	34 210
900S6150		6x150	6.0(1/4")	0.9	150(6")	34 260
900S8150		8x150	8.0(5/16")	1.1	150(6")	36 275
900P175	⊕	1x75	No.1	75	30	175
900P2100		2x100	No.2	100	34	210
900P2150		2x150	No.2	150	34	260
900P3150		3x150	No.3	150	36	275

Reduce Cam-Out

Suitable for a variety of screws from machine screws to wood screws, and especially for car repairs as well as electric work, electronics assembly and general applications.



JAWSFIT®
Bites into screw

MEGADORA IMPACTA™
Impact Driven Screwdriver



- Tang-Thru nut with cam rotation mechanism
- High precision black point tip



No.980

Code						(mm)
980P2100	⊕	PH2x100	No.2	100(4")	34	213
980P2150		PH2x150	No.2	150(6")	34	263
980P3150		PH3x150	No.3	150(6")	36	278

MEGADORA™ Tang-Thru Screwdriver



- NEW Phillips JAWSFIT tip that firmly grips screws
- Tang-Thru shank with large steel cap
- With a hexagonal bolster for additional wrenching



No.930 JAWSFIT®

Code							(mm)
930S5575	⊖	5.5x75	5.5(3/16")	0.8	75(3")	30	175 8
930S638		6x38	6.0(1/4")	0.9	38(1 1/2")	34	151 —
930S6100		6x100	6.0(1/4")	0.9	100(4")	34	213 10
930S6150		6x150	6.0(1/4")	0.9	150(6")	34	263 10
930S8150		8x150	8.0(5/16")	1.1	150(6")	36	278 12
930P175	⊕	1x75	No.1	75	30	176	8
930P2100		2x100	No.2	100	34	213	10
930P2150		2x150	No.2	150	34	263	10
930P3150		3x150	No.3	150	36	278	12

MEGADORA™ Thin Shank Screwdriver



- Precision type with 4 mm or smaller blade diameter
- High precision black point tip, which is unaffected by the plating thickness



No.910

Code						(mm)
910S375	⊖	3x75	3.0(1/8")	0.4	75(3")	21 153
910S3100		3x100	3.0(1/8")	0.4	100(4")	21 178
910S475		4x75	4.0(5/32")	0.5	75(3")	21 153
910S4100		4x100	4.0(5/32")	0.5	100(4")	21 178
910S4150		4x150	4.0(5/32")	0.5	150(6")	21 228
910S4200		4x200	4.0(5/32")	0.5	200(8")	21 278
910P075	⊕	0x75	No.0	75	21	153
910P0100		0x100	No.0	100	21	178
910P175		1x75	No.1	75	21	153
910P1100		1x100	No.1	100	21	178

MEGADORA™ Stubby Screwdriver

- Phillips JAWSFIT™ tip that firmly grips screws
- 1”(25mm)-long blade, ideal for works in a narrow place




No.920	+	JAWSFIT					
Code							
920S625	⊖	6x25	6.4(1/4")	0.9	25(1")	36	75
920P125	⊕	1x25	No.1	25	36	75	
920P225		2x25	No.2	25	36	75	

*Bulk

MEGADORA™ Insulated Screwdriver

- For protection against electric shock



No.960						
Code						
960S575	⊖	0.8x5x75	5(3/16")	0.8	75(3")	177
960S6100		1.0x6x100	6(1/4")	1	100(4")	212
960S8150		1.2x8x150	8(5/16")	1.2	150(6")	277
960P175	⊕	1x75	No.1	75	30	177
960P2100		2x100	No.2	100	34	212
960P3150		3x150	No.3	150	36	277

No.960PS						
Code						
960PS2100	⊕	PS2x100	PS2	100	34	212
960PS3150		PS3x150	PS3	150	36	277

MEGADORA™ Clip Remover

- Applicable for both large and small clips used in automobiles
- Smooth surface finish chrome plating to avoid making scratches on a painted metal parts
- Easy removing of door trim and wire binding clips by its optimum leverage angle in a narrow space



No.970					
Code					
970CR120	CRx120	12/7	120(4 3/4")	34	230

MEGADORA™ Chisel-Type Screwdriver

- Using special high quality steel for cold chisel use; 58HRC and pursuing abrasion resistance and cutting quality
- Reducing gripping fatigue by shock-absorbing Elastomer resin
- Less deformative large steel cap with carburizing and quenching



No.970						
Code						
970C7100	7x100	7.0(9/32")	1.5	100(4")	34	213
970C95120	9.5x120	9.5(3/8")	1.7	120(4 3/4")	36	248

MEGADORA™ Screwdriver Extra Long Type

- Phillips JAWSFIT™ tip that firmly grips screws
- Ideal for works in a deep place
- Useful for adjustment of automotive headlight and hose band removal
- Knurled guide sleeve to minimize run-out due to its long blade and ensure stable operation

No.900	+	JAWSFIT					
Code							
900S6400	⊖	6x400	6.0(1/4")	0.9	400(16")	34	510
900P2400	⊕	2x400	No.2	400	34	510	

MEGADORA™ Screwdriver 6pcs. set



No.9006CS	Set Contents	
Code		
9006CS	MEGADORA™ Screwdriver	
	⊖ 5.5x75, 6x100, 8x150	
	⊕ 1x75	Carded
	MEGADORA IMPACTA™ Screwdriver	
	⊕ 2x100, 3x150	

	MEGADORA™	Ball Grip™	Wood-Compo™	Super Cushion™
Grip				
	Advanced triple-molded handle for comfort	High power handle for various ways of grip	Innovative non-slip handle made from wood-composite resin	Superior torque transmission through the gel-included grip
Weight	92g 3.2oz	94g 3.3oz	110g 3.9oz	100g 3.5oz
Grip Dia.	32.0 mm 1 1/4 in.	41.0 mm 1 37/64 in.	32.0 mm 1 1/4 in.	32.0 mm 1 1/4 in.
Tightening Torque	5.5 N·m 48.7 lbf·in	6.0 N·m 53.1 lbf·in	6.1 N·m 54.0 lbf·in	8.0 N·m 70.8 lbf·in
Tightening Torque (if oily)	2.6 N·m 23.0 lbf·in	3.0 N·m 22.1 lbf·in	5.9 N·m 52.2 lbf·in	1.7 N·m 15.0 lbf·in

* Specifications based on the size Ph2x1/4in. model. The tightening torque is an average of 10 people's performance.

Ball Grip™

PALM-FIT Technology



Ultimate ergonomic profile makes maximum comfortable grip and easy fastening for any application.

Ball Grip™ Tethered Screwdriver

- 5”(125mm)-long blade that can reach deep in distribution boards
- Easy picking from a working waist bag Turning sleeve for smooth operation
- Connection wire to attach Slim Lanyard Cord (No.SC-90)
- High precision black point tip



No.210ST					
Code					
210S6125	⊖	6x125	6.0(1/4")	0.9	125(5")
210P2125	⊕	2x125	No.2	125	41

Anti-drop Slim Cord

- Cord to prevent screwdrivers from dropping
- Tangle-free sleeve to prevent from being caught and stuck



No.SC-90	Mounted load	Length
Code		
SC90	500g or less	482 (maximum length 1500) mm

Ball Grip™ Screwdriver

- Transmits sufficient tightening force to screw
- Cushion grip color-coded by ⊕⊖ • High precision black point tip



No.220						
Code						
220S5575	⊖	5.5x75	5.5(3/16")	0.8	75(3")	156
220S55100		5.5x100	5.5(3/16")	0.8	100(4")	181
220S55150		5.5x150	5.5(3/16")	0.8	150(6")	231
220S6100		6x100	6.0(1/4")	0.9	100(4")	200
220S6150		6x150	6.0(1/4")	0.9	150(6")	250
220S6200		6x200	6.0(1/4")	0.9	200	300
220P175	⊕	1x75	No.1	75	32	156
220P1100		1x100	No.1	100	32	181
220P1150		1x150	No.1	150	32	231
220P2100		2x100	No.2	100	41	200
220P2150		2x150	No.2	150	41	250
220P2200		2x200	No.2	200	41	300
220P3150		3x150	No.3	150	41	250

Ball Grip™ Tang-Thru Screwdriver

- Star-shaped steel cap for hammering
- Transmits sufficient tightening force to screw
- Cushion grip color-coded by ⊕⊖ • High precision black point tip



No.230						
Code						
230S5575	⊖	5.5x75	5.5(3/16")	0.8	75(3")	156
230S6100		6x100	6.0(1/4")	0.9	100(4")	200
230S6150		6x150	6.0(1/4")	0.9	150(6")	250
230P175	⊕	1x75	No.1	75	32	156
230P2100		2x100	No.2	100	41	200
230P2150		2x150	No.2	150	41	250

Ball Grip™ Tang-Thru Screwdriver w/Ceramic Ball


- Incorporating a ceramic ball that prevents electricity from being conducted
- Using zirconia ceramic that is highest strength, stiffness, and abrasion resistance among ceramics
- The large steel cap for easy hammering
- High precision black point tip



No.250						
Code						
250S6100	⊖	6x100	6.0(1/4")	0.9	100(4")	200
250S6150		6x150	6.0(1/4")	0.9	150(6")	250
250P2100	⊕	2x100	No.2	100	41	200
250P2150		2x150	No.2	150	41	250

Ceramic ball blocks electricity

It can be used for various works of electrical and mechanical equipment as a screwdriver that can be "hit with a hammer and used for electricity-related work."



Ball Ratchet™ Screwdriver

- 36-teeth gear ratchet to realize comfortable operation with fine turning
- Blade cover to prevent electrical short circuit and recessed blade for convenience at an operation in a terminal block
- Using special alloy steel used for power tool bit, Fully hardened and Interchangeable blade



No.2200
Code

2200S6100	⊖ 6x100	6.0(1/4")	0.8	100(4")	41	60
2200S6150	6x150	6.0(1/4")	0.8	150(6")	41	60
2200P2100	⊕ 2x100	No.2	100	41	60	
2200P2150	2x150	No.2	150	41	60	

Smooth Operation

This functionally enhanced Ball Grip™ Screwdriver enables screw tightening by simple repeated wrist movements.

⚠ Electric insulation is not guaranteed. For safety purposes, shut off power before use.

Ball Ratchet™ Screwdriver Reversible Blade

- Using special alloy steel used for power tool bit, fully hardened
- Interchangeable when pulling out the ball part of the No.2200




No.2200B
Code

2200BP2100	2x100	No.2	100(4")	158
2200BP2150	⊕ 2x150	No.2	150(6")	208
2200BP3150	3x150	No.3	150(6")	208

NEON Screwdriver

- Glow in the dark
- High precision black point tip



No.265
Code

265S6100	⊖ 6x100	6.0(1/4")	0.9	100(4")	40	185
265S6150	6x150	6.0(1/4")	0.9	150(6")	40	235
265P2100	⊕ 2x100	No.2	100	40	185	
265P2150	2x150	No.2	150	40	235	

Ball Grip™ Screwdriver 4pcs. set



No.2004CS
Code

2204CS	Ball Grip™ Screwdriver	
	⊖ 5.5x75, 6x100	Carded
	⊕ 1x75, 2x100	

Ball Grip™ Interchangeable Drive Handle

- Drivable as a normal Ball Grip Screwdriver by inserting a 1/4"(6.35mm) Hex Bit
- Robust impression by black color handle design



No.220W
Code

220W	Grip size	
	length 100mm, dia. 41mm	Carded

Ball Grip™ Tang-Thru Interchangeable Drive Handle

- Drivable as a Tang-Thru Ball Grip Screwdriver by inserting a 1/4"(6.35mm) Hex Bit
- Transmitting the hammering power well thru the φ1"(φ25mm) large steel cap




No.230W
Code

230W	Grip size	
	length 100mm, dia. 41mm	Carded

Wood-Compo™

Non-Slip

Even with oily or greasy hands, you only lose about 3% of torque! Wood-Compo is perfect for working where grease is present such as car maintenance and ironwork.



70% Wood-30% Plastic Composite Grip



Wood-Compo™ Tang-Thru Screwdriver

- Extraordinary non-slip grip; Secure working efficiency even with oily hands
- Star-shaped steel cap for hammering
- Rust-resistant black chrome plated blade



No.330
Code

330S5575	⊖ 5.5x75	5.5(3/16")	0.8	75(3")	30	183
330S6100	6x100	6.0(1/4")	0.9	100(4")	32	217
330S6150	6x150	6.0(1/4")	0.9	150(6")	32	267
330S8150	8x150	8.0(5/16")	1.1	150(6")	35	277
330P175	⊕ 1x75	No.1	75	30	183	
330P2100	2x100	No.2	100	32	217	
330P2150	2x150	No.2	150	32	267	
330P3150	3x150	No.3	150	35	277	

Wood-Compo™ Screwdriver

- Extraordinary non-slip grip; Secure working efficiency even with oily hands
- Wood-composite resin, reproducing the natural material texture
- Rust-resistant black chrome plated blade



No.300
Code

300S5575	⊖ 5.5x75	5.5(3/16")	0.8	75(3")	30	182
300S6100	6x100	6.0(1/4")	0.9	100(4")	32	215
300S6150	6x150	6.0(1/4")	0.9	150(6")	32	265
300S8150	8x150	8.0(5/16")	1.1	150(6")	35	275
300P175	⊕ 1x75	No.1	75	30	182	
300P2100	2x100	No.2	100	32	215	
300P2150	2x150	No.2	150	32	265	
300P3150	3x150	No.3	150	35	275	

Wood-Compo™ Torx Screwdriver

- Extraordinary non-slip grip; Secures working efficiency even with oily hands
- Wood-composite resin, reproducing the natural material texture
- Non-electrolytic nickel plating, keeping the precise tip quality
- Applicable for both standard and tamper-proof Torx screws



No.340TX
Code

340T10H80	⊕ T10H	2.72	80(3 1/8")	30	188
340T15H80	T15H	3.26	80(3 1/8")	30	188
340T20H120	T20H	3.84	120(4 3/4")	30	228
340T25H120	T25H	4.40	120(4 3/4")	32	236
340T27H120	T27H	4.96	120(4 3/4")	32	236
340T30H120	T30H	5.49	120(4 3/4")	35	246
340T40H120	T40H	6.60	120(4 3/4")	35	246

TORX® is a registered trademark of Acument TM Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.

Wood-Compo™ Socket Screwdriver

- Extraordinary non-slip grip; Secures working efficiency even with oily hands
- Wood-composite resin, reproducing the natural material texture
- Black oxide coated socket
- Rust-resistant chrome plated hexagonal shank for additional wrenching



No.380NT
Code

380H5125	⊖ A/F 5x125	5	125(5")	5.0(3/16")	30.0	224
380H55125	A/F 5.5x125	5.5	125(5")	5.0(3/16")	30.0	224
380H7125	A/F 7x125	7	125(5")	5.0(3/16")	30.0	224
380H8125	A/F 8x125	8	125(5")	5.0(3/16")	32.0	233
380H10125	A/F 10x125	10	125(5")	7.0(9/32")	32.0	233
380H12125	A/F 12x125	12	125(5")	7.0(9/32")	32.0	233
380H13125	A/F 13x125	13	125(5")	7.0(9/32")	32.0	233
380H14125	A/F 14x125	14	125(5")	7.0(9/32")	32.0	233

Hexagonal Shank for additional wrenching



Hexagonal Shank enables to tighten or loosen screws with a wrench.

Wood-Compo™ Screwdriver 6pcs. set



No.3006CS


Code

Set Contents

3006CS	Wood-Compo™ Screwdriver	Carded
⊖	5.5x75, 6x100, 8x150	
⊕	1x75, 2x100, 3x150	

Wood-Compo™ Ratchet Handle


- High durability and less gear skipping by firmly engaging wedge-shaped gears
- Reliable operation as the hand firmly holds the grip from the moment you start fastening





No.HRH2-W


Code


1/4"sq. (6.35mm)











(mm)

HRH2W	6.35(1/4")	20	20	30	145
-------	------------	----	----	----	-----



No.HRH3-W

Code

3/8"sq. (9.5mm)













(mm)

HRH3W	9.5(3/8")	25	27	30	180
-------	-----------	----	----	----	-----



Ultra samll and High durable Head

High durability and less gear skipping because the wedge-shaped gears firmly engage the gears.



Wood-Compo™ Socket Wrench Set


1/4"sq. (6.35mm)
3/8"sq. (9.5mm)
36pcs.

No.HRW2303M-W

Code

Set Contents

HRW2303MW	Wood-compo ratchet handle 3/8"sq. (9.5mm) Wood-compo spinner handle 1/4"sq. (6.35mm) Universal socket adaptor 3/8"sq. (9.5mm) Extension bar Overall length 150mm 1/4"sq. (6.35mm) Bit socket adaptor 1/4"sq.↔1/4"hex. 1/4"sockets: 4, 4.5, 5, 5.5, 6, 7, 8mm 3/8"sockets: 10, 11, 12, 13, 14, 17, 19, 21, 22mm Bits: ⊖4, 6, ⊕1, 2, 3, H3, H4, H5, H6, T10, T15, T20, T25, T30, T40
-----------	---



Wood-Compo™ Socket Wrench Set


1/4"sq.(6.35mm) 36pcs.

No.HRW2001M-W

Code

Set Contents

HRW2001MW	Wood-compo ratchet handle 1/4"sq.(6.35mm) Wood-compo stubby handle 1/4"sq.(6.35mm) Universal socket adaptor 1/4"sq.(6.35mm) Extension bar Overall length 100mm 1/4"sq.(6.35mm) Bit socket adaptor 1/4"sq.↔1/4"hex. 1/4"sockets:4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm Bits: ⊖4, 6, ⊕1, 2, 3, H1.5, H2, H2.5, H3, H4, H5, T10, T15, T20, T25, T27, T30, T40
-----------	--



Wood-Compo™ Socket Wrench Set


3/8"sq.(9.5mm) 16pcs.

No.HRW3002M-W

Code

Set Contents

HRW3002MW	Wood-compo ratchet handle 3/8"sq.(9.5mm) Universal socket adaptor 3/8"sq.(9.5mm) Sliding T-shaped handle 3/8"sq.(9.5mm) Extension bar Overall length 150mm 3/8"sq.(9.5mm) Extension bar Overall length 75mm 3/8"sq.(9.5mm) 3/8" sockets: 7, 8, 10, 11, 12, 13, 14, 17, 19, 21, 22mm
-----------	--



Super Cushion™

Gel Function



This screwdriver is perfect where a large load is gradually applied on the palm, such as when working with long wood screws.




Magnetic

Super Cushion™ Screwdriver

- "Super Cushion" grip fits your hand perfectly
- Rust-resistant black chrome plated blade


⊖


⊕





No.700


Code












(mm)

700S5575	⊖5.5x75	5.5(3/16")	0.8	75(3")	29	182
700S6100	6x100	6.0(1/4")	0.9	100(4")	32	215
700S6150	6x150	6.0(1/4")	0.9	150(6")	32	265
700S8150	8x150	8.0(5/16")	1.1	150(6")	34	275
700P175	⊕1x75	No.1	75	29	182	
700P2100	2x100	No.2	100	32	215	
700P2150	2x150	No.2	150	32	265	
700P3150	3x150	No.3	150	34	275	


Super Cushion™ Stubby Screwdriver


- "Super Cushion" grip fits your hand perfectly
- Rust-resistant black chrome plated blade
- Ideal for working in a narrow place





No.720


Code












(mm)

720S615	⊖6x15	6.0(1/4")	0.9	15(19/32")	35	68
720P115	⊕1x15	No.1	15(19/32")	35	68	
720P215	2x15	No.2	15(19/32")	35	68	

*Bulk


Super Cushion™ Tang-Thru Screwdriver


- "Super Cushion" grip fits your hand perfectly
- Star-shaped steel cap for hammering
- Rust-resistant black chrome plated blade





No.730


Code












(mm)

730S5575	⊖5.5x75	5.5(3/16")	0.8	75(3")	29	182
730S6100	6x100	6.0(1/4")	0.9	100(4")	32	215
730S6150	6x150	6.0(1/4")	0.9	150(6")	32	265
730S8150	8x150	8.0(5/16")	1.1	150(6")	34	276
730P175	⊕1x75	No.1	75	29	182	
730P2100	2x100	No.2	100	32	215	
730P2150	2x150	No.2	150	32	265	
730P3150	3x150	No.3	150	34	276	

7

8

CRYSTALINE™ Screwdriver
14pcs. Blow case set



No.6314PS	Set Contents
Code	CRYSTALINE™ Screwdriver
6314PS	2.5x50, 4x100, 4x150, 5.5x75, 6x38, 6x100, 8x150, 9x200
	0x75, 1x75, 2x38, 2x100, 2x150, 3x150

Wood-Compo™ Screwdriver
10pcs. Blow case set



No.3010PS	Set Contents
Code	Ball Grip™ Screwdriver
3010PS	5.5x75, 6x15, 6x100, 6x150, 8x150
	1x75, 2x100, 2x150, 3x150, 2x15

Super Cushion™ Screwdriver
10pcs. Blow case set



No.7010PS	Set Contents
Code	Super Cushion™ Screwdriver
7010PS	5.5x75, 6x15, 6x100, 6x150, 8x150
	1x75, 2x100, 2x150, 3x150, 2x15

CRYSTALINE™ Screwdriver
7pcs. Hanger case set

- Converting the case into wall-mountable tool organizer



No.6307HS	Set Contents
Code	CRYSTALINE™ Screwdriver
6307HS	4x100, 5.5x75, 6x100
	0x75, 1x100, 2x150, 3x150

MEGADORA™ Screwdriver
6pcs. Hanger case set

- Converting the case into wall-mountable tool organizer



No.9006HS	Set Contents
Code	MEGADORA™ Screwdriver
9006H	5.5x75, 6x100, 8x150
	1x75
	MEGADORA IMPACTA™ Screwdriver
	2x100, 3x150

Carded

Micro
Screwdriver

Ultra precision for small screws



Ideal for fastening and unfastening of precision screws

Micro Screwdriver

- Smooth rotating end cap for quick turning
- High precision black point tip



No.9900	Code	1.8x50	1.8(1/16")	0.25	50	10	145
9900S1850	1.8x50	1.8(1/16")	0.25	50	10	145	
9900S2575	2.5x75	2.5(3/32")	0.35	75	10	170	
9900S3100	3x100	3(1/8")	0.45	100	10	195	
9900S3150	3x150	3(1/8")	0.45	150	10	245	
9900P0075	00x75	No.00	75	10	170		
9900P0100	0x100	No.0	100	10	195		
9900P0150	0x150	No.0	150	10	245		

Micro Screwdriver 3pcs. set

- 2 types of set recommended to the purpose of work in precision field
- Sets with frequently used sizes
- For adjustment and repair of precision devices , electric devices, glasses, watches, and etc.



No.9902	Set Contents
Code	Micro Screwdriver
9902E	1.8x50
	00x75, 0x100

Package size: 235x70x15mm



No.9903	Set Contents
Code	Micro Screwdriver
9903E	1.8x50, 2.5x75
	00x75

Package size: 235x70x15mm

PROMOTION
SCREWDRIVER



Super Hardware Stores



No.	Code	Description	UPC
MEGADORA IMPACTA™ Impact Driven Screwdriver			
1	980P2100	Φ2 x 100	840921120094
2	980P2150	Φ2 x 150	840921120100
3	980P3150	Φ3 x 150	840921120117
MEGADORA™ Insulated Screwdriver			
4	960S575	Ø0.8 x 5 x 75	840921121602
5	960S6100	Ø1.0 x 6 x 100	840921121619
6	960S8150	Ø1.2 x 8 x 150	840921121626
7	960P175	Φ1 x 75	840921121572
8	960P2100	Φ2 x 100	840921121589
9	960P3150	Φ3 x 150	840921121596
Ball Grip™ Screwdriver			
10	220S5575	Ø5.5 x 75	840921120209
11	220S55100	Ø5.5 x 100	840921120285
12	220S6100	Ø6 x 100	840921120216
13	220S6150	Ø6 x 150	840921120223
14	220S6200	Ø6 x 200	840921120230
15	220P175	Φ1 x 75	840921120247
16	220P2100	Φ2 x 100	840921120254
17	220P2150	Φ2 x 150	840921120261
18	220P2200	Φ2 x 200	840921120278
Ball Grip™ Tang-Thru Screwdriver			
19	230S5575	Ø5.5 X 75	840921120339
20	230S6100	Ø6 X 100	840921120346
21	230S6150	Ø6 X 150	840921120353
22	230P175	Φ1 X 75	840921120360
23	230P2100	Φ2 X 100	840921120377
24	230P2150	Φ2 X 150	840921120384
Super Cushion™ Screwdriver			
25	700S5575	Ø5.5 x 75	840921121176
26	700S6100	Ø6 x 100	840921121183
27	700S6150	Ø6 x 150	840921121190
28	700S8150	Ø8 x 150	840921121206
29	700P175	Φ1 x 75	840921121213
30	700P2100	Φ2 x 100	840921121220
31	700P2150	Φ2 x 150	840921121237
32	700P3150	Φ3 x 150	840921121244
Ball Ratchet™ Screwdriver			
33	2200S6100	Ø6 x 100	840921121398
34	2200S6150	Ø6 x 150	840921121404
35	2200P2100	Φ2 x 100	840921120476
36	2200P2150	Φ2 x 150	840921120483
Ball Grip™ Tethered Screwdriver			
37	210S6125	Ø6 x 125	840921121466
38	210P2125	Φ2 x 125	840921121459
39	SC90	Anti-drop Slim Cord	840921121725
Micro Screwdriver 3pcs. set			
40	9902E	Ø1.8 x 50, Φ00 x 75, Φ0 x 100	840921121831
41	9903E	Ø2.5 x 75, Ø3 x 100, Φ00 x 75	840921121848
Ball Grip™ Screwdriver 6pcs. set			
42	2204CS	Ø5.5x75, Ø6x100, Φ1x75, Φ2x100	840921120452

Convenience Hardware Stores



No.	Code	Description	UPC
Ball Grip™ Screwdriver			
1	220S5575	Ø5.5 x 75	840921120209
2	220S55100	Ø5.5 x 100	840921120285
3	220S6100	Ø6 x 100	840921120216
4	220P175	Φ1 x 75	840921120247
5	220P2100	Φ2 x 100	840921120254
6	220P2200	Φ2 x 200	840921120278
Super Cushion™ Screwdriver			
7	700S5575	Ø5.5 x 75	840921121176
8	700S6100	Ø6 x 100	840921121183
9	700S6150	Ø6 x 150	840921121190
10	700S8150	Ø8 x 150	840921121206
11	700P175	Φ1 x 75	840921121213
12	700P2100	Φ2 x 100	840921121220
13	700P2150	Φ2 x 150	840921121237
14	700P3150	Φ3 x 150	840921121244
Ball Ratchet™ Screwdriver			
15	2200S6100	Ø6 x 100	840921121398
16	2200P2100	Φ2 x 100	840921120476
Ball Grip™ Screwdriver 6pcs. set			
17	2204CS	Ø5.5x75, Ø6x100, Φ1x75, Φ2x100	840921120452

Home Improvement Centers



No.	Code	Description	UPC
MEGADORA IMPACTA™ Impact Driven Screwdriver			
1	980P2100	⌀2 x 100	840921120094
2	980P2150	⌀2 x 150	840921120100
3	980P3150	⌀3 x 150	840921120117
MEGADORA™ Insulated Screwdriver			
4	960S575	⌀0.8 x 5 x 75	840921121602
5	960S6100	⌀1.0 x 6 x 100	840921121619
6	960S8150	⌀1.2 x 8 x 150	840921121626
7	960P175	⌀1 x 75	840921121572
8	960P2100	⌀2 x 100	840921121589
9	960P3150	⌀3 x 150	840921121596
Ball Grip™ Screwdriver			
10	220S5575	⌀5.5 x 75	840921120209
11	220S55100	⌀5.5 x 100	840921120285
12	220S6100	⌀6 x 100	840921120216
13	220S6150	⌀6 x 150	840921120223
14	220S6200	⌀6 x 200	840921120230
15	220P175	⌀1 x 75	840921120247
16	220P2100	⌀2 x 100	840921120254
17	220P2150	⌀2 x 150	840921120261
18	220P2200	⌀2 x 200	840921120278
Ball Grip™ Tang-Thru Screwdriver			
19	230S5575	⌀5.5 X 75	840921120339
20	230S6100	⌀6 X 100	840921120346
21	230S6150	⌀6 X 150	840921120353
22	230P175	⌀1 X 75	840921120360
23	230P2100	⌀2 X 100	840921120377
24	230P2150	⌀2 X 150	840921120384
Wood-Compo™ Torx Screwdriver			
25	340T10H80	T10H x 80	840921120810
26	340T15H80	T15H x 80	840921120827
27	340T20H120	T20H x 120	840921120834
28	340T25H120	T25H x 120	840921120841
29	340T27H120	T27H x 120	840921120858
30	340T30H120	T30H x 120	840921120865
31	340T40H120	T40H x 120	840921120872
Super Cushion™ Screwdriver			
32	700S5575	⌀5.5 x 75	840921121176
33	700S6100	⌀6 x 100	840921121183
34	700S6150	⌀6 x 150	840921121190
35	700S8150	⌀8 x 150	840921121206
36	700P175	⌀1 x 75	840921121213
37	700P2100	⌀2 x 100	840921121220
38	700P2150	⌀2 x 150	840921121237
39	700P3150	⌀3 x 150	840921121244
Ball Ratchet™ Screwdriver			
40	2200S6100	⌀6 x 100	840921121398
41	2200S6150	⌀6 x 150	840921121404
42	2200P2100	⌀2 x 100	840921120476
43	2200P2150	⌀2 x 150	840921120483
Micro Screwdriver 3pcs. set			
44	9902E	⌀1.8 x 50, ⌀00 x 75, ⌀0 x 100	840921121831
45	9903E	⌀2.5 x 75, ⌀3 x 100, ⌀00 x 75	840921121848

Car Maintenance Tool Shop



No.	Code	Description	UPC
MEGADORA™ Screwdriver			
1	900S5575	⌀5.5 x 75	840921120018
2	900S6100	⌀6 x 100	840921120025
3	900S6150	⌀6 x 150	840921120032
4	900S8150	⌀8 x 150	840921120049
5	900P3150	⌀3 x 150	840921120087
6	900S6400	⌀6 x 400	840921122432
7	900P2400	⌀2 x 400	840921122449
MEGADORA IMPACTA™ Impact Driven Screwdriver			
8	980P2100	⌀2 x 100	840921120094
9	980P2150	⌀2 x 150	840921120100
10	980P3150	⌀3 x 150	840921120117
MEGADORA™ Clip Remover			
11	970CR120	CR x 120	840921121541
MEGADORA™ Chisel-Type Screwdriver			
12	970C7100	7 x 100	840921121558
13	970C95120	9.5 x 120	840921121565
MEGADORA™ Insulated Screwdriver			
14	960S575	⌀0.8 x 5 x 75	840921121602
15	960S6100	⌀1.0 x 6 x 100	840921121619
16	960S8150	⌀1.2 x 8 x 150	840921121626
17	960P175	⌀1 x 75	840921121572
18	960P2100	⌀2 x 100	840921121589
19	960P3150	⌀3 x 150	840921121596
Wood-Compo™ Tang-Thru Screwdriver			
20	330S5575	⌀5.5 x 75	840921120735
21	330S6100	⌀6 x 100	840921120742
22	330S6150	⌀6 x 150	840921120759
23	330S8150	⌀8 x 150	840921120766
24	330P175	⌀1 x 75	840921120773
25	330P2100	⌀2 x 100	840921120780
26	330P2150	⌀2 x 150	840921120797
27	330P3150	⌀3 x 150	840921120803
Wood-Compo™ Torx Screwdriver			
28	340T10H80	T10H x 80	840921120810
29	340T15H80	T15H x 80	840921120827
30	340T20H120	T20H x 120	840921120834
31	340T25H120	T25H x 120	840921120841
32	340T27H120	T27H x 120	840921120858
33	340T30H120	T30H x 120	840921120865
33	340T40H120	T40H x 120	840921120872
MEGADORA™ Screwdriver 6pcs. Hanger case set			
34	9006H5	⌀5.5x75, ⌀6x100, ⌀8x150, ⌀1x75, ⌀2x100, ⌀3x150	840921114017

Electrical Supply Stores



No.	Code	Description	UPC
Ball Grip™ Screwdriver			
1	220S6100	⌀6 x 100	840921120216
2	220S6150	⌀6 x 150	840921120223
3	220S6200	⌀6 x 200	840921120230
4	220P175	⌀1 x 75	840921120247
5	220P2100	⌀2 x 100	840921120254
6	220P2150	⌀2 x 150	840921120261
7	220P2200	⌀2 x 200	840921120278
Ball Ratchet™ Screwdriver			
8	2200S6100	⌀6 x 100	840921121398
9	2200P2100	⌀2 x 100	840921120476
NEON Screwdriver			
10	265S6100	⌀6 x 100	840921121411
11	265S6150	⌀6 x 150	840921121428
12	265P2100	⌀2 x 100	840921121435
13	265P2150	⌀2 x 150	840921121442
Ball Grip™ Tang-Thru Screwdriver w/Ceramic Ball			
14	250S6100	⌀6 x 100	840921120674
15	250S6150	⌀6 x 150	840921120681
16	250P2100	⌀2 x 100	840921120698
17	250P2150	⌀2 x 150	840921120704
Micro Screwdriver 3pcs. set			
18	9902E	⌀1.8 x 50, ⌀00 x 75, ⌀0 x 100	840921121831
19	9903E	⌀2.5 x 75, ⌀3 x 100, ⌀00 x 75	840921121848

DIY Lumber Outlets



No.	Code	Description	UPC
Wood-Compo™ Screwdriver			
1	300S5575	⌀5.5 x 75	840921120124
2	300S6100	⌀6 x 100	840921120131
3	300S6150	⌀6 x 150	840921120186
4	300S8150	⌀8 x 150	840921120148
5	300P175	⌀1 x 75	840921120155
6	300P2100	⌀2 x 100	840921120162
7	300P2150	⌀2 x 150	840921120193
8	300P3150	⌀3 x 150	840921120179
Wood-Compo™ Tang-Thru Screwdriver			
9	330S5575	⌀5.5 x 75	840921120735
10	330S6100	⌀6 x 100	840921120742
11	330S6150	⌀6 x 150	840921120759
12	330S8150	⌀8 x 150	840921120766
13	330P175	⌀1 x 75	840921120773
14	330P2100	⌀2 x 100	840921120780
15	330P2150	⌀2 x 150	840921120797
16	330P3150	⌀3 x 150	840921120803
Ball Ratchet™ Screwdriver			
17	2200P2100	⌀2 x 100	840921120476
Ball Grip™ Tethered Screwdriver			
18	210S6125	⌀6 x 125	840921121466
19	210P2125	⌀2 x 125	840921121459
20	SC90	Anti-drop Slim Cord	840921121725
Wood-Compo™ Screwdriver 6pcs. set			
21	3006CS	⌀5.5x75, ⌀6x100, ⌀8x150, ⌀1x75, ⌀2x100, ⌀3x150	840921120445